



Advanced Environmental Landscape
Design & Consulting, LLC

CSLB C-27 Lic#708716
PO Box 8296, Alta Loma, CA 91737
Phone: 909.980.8300 Fax: 909.941.6876
www.aelandscapedesign.com

WATER MANAGEMENT **WATER ANALYSIS & RECOMMENDATIONS**

Property Name: Mission Pointe
Report Dated: 11/06/2017

HIGH PRIORITY RECOMMENDATIONS

High Priority Recommendations & Preventative Maintenance

WEBSITE LOGIN INFORMATION

Visit www.aelandscapedesign.com/nationalcore

Enter Password- watercore

1. **02/07/2016:** Please refer to Water Management Site Map and confirm that RST is reading **METER 17** along with the rest. Last RST reading on this Meter is dated 08/01/2016.

WATER USAGE ANALYSIS SUMMARY

(See individual meter reports for more detailed information)

DOMESTIC

Meter# 1 Daily Average, Projected Monthly Average, and current water bill are each below budget.

Meter# 2: Daily Average, Projected Monthly Average, and current water bill are each below budget.

Meter# 3: Daily Average, Projected Monthly Average, and current water bill are each below budget.

Meter# 4: Daily Average, Projected Monthly Average, and current water bill are each below budget.

Meter# 5: Daily Average, Projected Monthly Average, and current water bill are each below budget.

Meter# 6: Daily Average, Projected Monthly Average, and current water bill are each below budget.

Meter# 7: Daily Average, Projected Monthly Average, and current water bill are each below budget.

Meter# 8: Daily Average, Projected Monthly Average, and current water bill are each below budget.

Meter# 9: Daily Average, Projected Monthly Average, and current water bill are each below budget.

“Save Water Today, So We Have Water Tomorrow”



**Advanced Environmental Landscape
Design & Consulting, LLC**

CSLB C-27 Lic#708716
PO Box 8296, Alta Loma, CA 91737
Phone: 909.980.8300 Fax: 909.941.6876
www.aelandscapedesign.com

Meter# 10: Daily Average, Projected Monthly Average, and current water bill are each below budget.

Meter# 11: Daily Average, Projected Monthly Average, and current water bill are each below budget.

Meter# 12: Daily Average, Projected Monthly Average, and current water bill are each below budget.

Meter# 14: Daily Average, Projected Monthly Average, and current water bill are each below budget.

Meter# 15: Daily Average, Projected Monthly Average, and current water bill are each below budget.

Meter# 16: Daily Average, Projected Monthly Average, and current water bill are each below budget.

Meter# 17: Daily Average, Projected Monthly Average, and current water bill are each below budget.

LANDSCAPE

Landscape System:

Irrigation Map: Irrigation Map is not available at this time, as soon as it is completed we will notify you.

Weather Based Irrigation Controllers: Hunter I-Cores W/Solar Sync, installed 11/09/11

Precision Nozzles: Installed 11/01/11

Turf Removal: Property would be a candidate for Turf Removal with over 264,000 square feet of irrigated landscape. Recommended 50% turf removal.

Riverside Public Utilities Watering Restrictions are: Please check our website for your district's current restrictions.

Controller in Compliance: Controller is programmed as per watering restrictions. - 3/9

Mixed Meter

This is a MIXED COMBO meter that services Domestic/Landscape/2 Laundry rooms, and the Office.

Meter # 13/13B: Daily Average, Projected Monthly Average, and current water bill are each below budget.

“Save Water Today, So We Have Water Tomorrow”



**Advanced Environmental Landscape
Design & Consulting, LLC**

CSLB C-27 Lic#708716
PO Box 8296, Alta Loma, CA 91737
Phone: 909.980.8300 Fax: 909.941.6876
www.aelandscapedesign.com

PRESSURE TESTING:

Please refer to pressure reading chart below for up to date status.

Building	Pressure Reading (psi)	Pressure Regulator
2620	100	YES
2650	100	YES
2680	100	YES
2720	100	YES
2770	100	YES
2800	100	YES
2830	100	YES
1441	100	YES
2831	100	YES
2801	100	YES
2771	100	YES
2750	100	YES
2551	100	YES
POOL	100	YES
LAUNDRY	100	YES
OFFICE	100	YES
2721	50	YES
2651	50	YES
2621	50	YES
1421	40	YES
2681	40	YES

“Save Water Today, So We Have Water Tomorrow”

Meter Summary Coversheet

Property Name **Mission Pointe**

Meter ID	Account Number	Meter Number(s)	Meter Type
1	0189997000	29943362	Domestic
2	0190007000	34172B	Domestic
3	0190018000	4348B	Domestic
4	0190028001	13205097	Domestic
5	0190043000	000B2688	Domestic
6	0190053001	000B2854	Domestic
7	0190067002	B2816	Domestic
8	0163732002	1088B	Domestic
9	0163727000	13205050	Domestic
10	0191042000	13205094	Domestic
11	0191032000	13205039	Domestic

Property Name **Mission Pointe**

Meter ID	Account Number	Meter Number(s)	Meter Type
12	0191027000	5464	Domestic
13	0208682000	1188D 636-C	Mixed
14	0191022000	C-836	Domestic
15	0191017000	474538	Domestic
16	0191012000	13205037	Domestic
17	0191007000	13205040	Domestic

Water Meter Inspection and Evaluation

Report prepared by Advanced Environmental Landscape Design & Consulting, LL

METER ID# 1

Property Name	Mission Pointe		
Meter Number	29943362	Meter Type	Domestic
Account Number	0189997000	Meter Type	1"

REPORT DATED
11/3/2017

Backflow Details: Designated Backflow Size _____ Pressure Regulator?

DOMESTIC ANALYSIS

Each meter services different types of buildings, water features, etc. The following budgets have been created for each type of coverage below:

Coverage Type	Multi-Unit Building	Multi Unit Bldng			
Description	Bldg 2620 (3 BDR)	Bldg 2620 (2 BDR)			TOTALS
Units Served	2	2			4
Budget/Month/Unit	20	14			
Daily Budget Total	1.32	0.92			2.2
Monthly Budget Total	40.00	28.00			68.0

The following calculations are based on the data collected from the physical meter readings and water bills:

		Projected vs. Actual Water Bill Analysis					
		Projected			Most Recent		
Physical Daily-Average	1.389	Tier 1 @	\$1.14	17	\$19.38	15	\$17.10
Physical Monthly-Average	42.25	Tier 2 @	\$1.83	25	\$45.75	20	\$36.60
		Tier 3 @	\$2.85			6	\$17.10
		Tier 4 @					
		Tier 5 @					
		WATER CONSUMPTION TOTALS		42	\$65.13	41	\$70.80
		CUSTOMER CHARGES					\$23.29
		WATER CONSRV. SURCHARGE					\$1.41
		ADJUSTMENT BY WMT					
		TOTAL USAGE & CHARGES			\$65.13		\$95.50

PHYSICAL METER READINGS

Date & Time	Meter Reading	Reading Source	Usage (hcf)	Usage (gallons)	Days in Cycle	Daily Average (hcf)	Hours in Cycle	Hourly Average (hcf)
11/1/2017 10:00 AM	463,583.5	RST	20.84	15,588.32	15	1.389	360	0.058
10/17/2017 10:00 AM	461,500.0	WB	15.89	11,885.72	13	1.222	312	0.051
10/4/2017 10:18 AM	459,911.4	RST	25.11	18,782.28	19	1.322	456	0.055
9/15/2017 10:00 AM	457,400.0	WB	11.74	8,781.52	10	1.174	240	0.049
9/5/2017 10:00 AM	456,226.5	RST	30.27	22,641.96	25	1.211	600	0.050
8/11/2017 10:00 AM	453,200.0	WB	11.12	8,317.76	9	1.236	217	0.051
8/2/2017 9:10 AM	452,088.0	RST	19.88	14,870.24	19	1.046	455	0.044
7/14/2017 10:00 AM	450,100.0	WB	13.65	10,210.20	11	1.241	266	0.051
7/3/2017 8:00 AM	448,735.2	RST	25.35	18,961.80	19	1.334	454	0.056
6/14/2017 10:00 AM	446,200.0	WB	16.74	12,521.52	13	1.288	313	0.053

This report was prepared by Advanced Environmental Landscape Design & Consulting, LLC. If you have any questions regarding this report, please contact us at (909) 980-8300 or water@aelandscaped.com

Water Meter Inspection and Evaluation

Report prepared by Advanced Environmental Landscape Design & Consulting, LL

METER ID# 1

6/1/2017	9:00 AM	444,525.6	RST	27.26	20,390.48	20	1.363	479	0.057
5/12/2017	10:00 AM	441,800.0	WB	14.03	10,494.44	11	1.275	261	0.054
5/1/2017	1:05 PM	440,397.3	RST	24.97	18,677.56	18	1.387	435	0.057
4/13/2017	10:00 AM	437,900.0	WB	17.50	13,090.00	13	1.346	312	0.056
3/31/2017	10:00 AM	436,150.1	RST	20.50	15,334.00	16	1.281	384	0.053
3/15/2017	10:00 AM	434,100.0	WB	16.62	12,431.76	14	1.187	337	0.049
3/1/2017	9:00 AM	432,438.4	RST	23.38	17,488.24	19	1.231	455	0.051
2/10/2017	10:00 AM	430,100.0	WB	10.18	7,614.64	9	1.131	217	0.047
2/1/2017	9:50 AM	429,082.5	RST	22.83	17,076.84	19	1.202	455	0.050
1/13/2017	10:00 AM	426,800.0	WB	16.82	12,581.36	15	1.121	361	0.047
12/29/2016	9:00 AM	425,117.7	RST	20.18	15,094.64	16	1.261	383	0.053
12/13/2016	10:00 AM	423,100.0	WB	13.54	10,127.92	12	1.128	285	0.048
12/1/2016	1:15 PM	421,746.0	RST	27.46	20,540.08	21	1.308	507	0.054
11/10/2016	10:00 AM	419,000.0	WB	9.39	7,023.72	9	1.043	218	0.043
11/1/2016	8:15 AM	418,061.5	RST	20.62	15,423.76	18	1.146	430	0.048
10/14/2016	10:00 AM	416,000.0	WB	11.56	8,646.88	11	1.051	265	0.044
10/3/2016	9:30 AM	414,843.6	RST	21.49	16,074.52	19	1.131	456	0.047
9/14/2016	9:30 AM	412,695.1	RST	1.48	1,107.04	1	1.480	24	0.062
9/13/2016	9:45 AM	412,547.2	RST	8.09	6,051.32	5	1.618	114	0.071
9/8/2016	3:30 PM	411,737.8	RST	26.75	20,009.00	7	3.821	174	0.154
9/1/2016	9:40 AM	409,063.3	RST	73.63	55,075.24	20	3.682	479	0.154
8/12/2016	10:00 AM	401,700.0	WB	23.91	17,884.68	11	2.174	263	0.091
8/1/2016	11:22 AM	399,309.1	RST	32.09	24,003.32	18	1.783	433	0.074
7/14/2016	10:00 AM	396,100.0	WB	13.34	9,978.32	8	1.668	192	0.069
7/6/2016	10:00 AM	394,765.6	RST	42.66	31,909.68	23	1.855	552	0.077
6/13/2016	10:00 AM	390,500.0	WB	9.07	6,784.36	6	1.512	145	0.063
6/7/2016	9:15 AM	389,592.7	RST	51.93	38,843.64	26	1.997	623	0.083
5/12/2016	10:00 AM	384,400.0	WB	51.00	38,148.00	29	1.759	696	0.073
4/13/2016	10:00 AM	379,300.0	WB	18.76	14,032.48	12	1.563	289	0.065
4/1/2016	9:30 AM	377,424.1	RST	31.24	23,367.52	18	1.736	431	0.072
3/14/2016	10:00 AM	374,300.0	WB	19.85	14,847.80	13	1.527	312	0.064
3/1/2016	10:45 AM	372,315.2	RST	33.15	24,796.20	19	1.745	456	0.073
2/11/2016	10:00 AM	369,000.0	WB	16.11	12,050.28	10	1.611	240	0.067
2/11/2016	10:00 AM	369,000.0	WB	16.11	12,050.28	10	1.611	240	0.067
2/11/2016	10:00 AM	369,000.0	WB	16.11	12,050.28	10	1.611	240	0.067
2/11/2016	10:00 AM	369,000.0	WB	16.11	12,050.28	10	1.611	240	0.067
2/1/2016	10:20 AM	367,389.0	RST	29.89	22,357.72	18	1.661	432	0.069
1/14/2016	10:00 AM	364,400.0	WB	3.32	2,483.36	2	1.660	48	0.069
1/12/2016	10:29 AM	364,067.8	RST	43.38	32,448.24	27	1.607	650	0.067
12/16/2015	8:10 AM	359,729.7	RST	0.30	224.40	1	0.300	22	0.014
12/15/2015	10:00 AM	359,700.0	WB	54.59	40,833.32	33	1.654	792	0.069
11/12/2015	10:26 AM	354,241.5	RST	47.42	35,470.16	29	1.635	696	0.068
10/14/2015	10:00 AM	349,500.0	WB	40.00	29,920.00	29	1.379	696	0.057
9/15/2015	10:00 AM	345,500.0	WB	39.00	29,172.00	28	1.393	672	0.058

*This report was prepared by Advanced Environmental Landscape Design & Consulting, LLC
If you have any questions regarding this report, please contact us at (909) 980-8300 or water@aelandscaped*

Water Meter Inspection and Evaluation

Report prepared by Advanced Environmental Landscape Design & Consulting, LL

METER ID# 1

8/18/2015	10:00 AM	341,600.0	WB	15.93	11,915.64	12	1.328	288	0.055
8/6/2015	10:45 AM	340,007.2	WMT	8.22	6,148.56	7	1.174	171	0.048
7/30/2015	7:30 AM	339,185.1	WMT	1.59	1,189.32	1	1.590	24	0.066
7/29/2015	7:30 AM	339,025.9	WMT	21.26	15,902.48	13	1.635	309	0.069
7/16/2015	10:00 AM	336,900.0	WB	56.00	41,888.00	31	1.806	744	0.075
6/15/2015	10:00 AM	331,300.0	WB	0.00	0.00	N/A	N/A	N/A	N/A

METER EVALUATION NOTES:

See Findings and Recommendations Report for specific meter notes.

This report was prepared by Advanced Environmental Landscape Design & Consulting, LLC. If you have any questions regarding this report, please contact us at (909) 980-8300 or water@aelandscapedesign.com

Water Meter Inspection and Evaluation

Report prepared by Advanced Environmental Landscape Design & Consulting, LL

METER ID# 2

Property Name	Mission Pointe		
Meter Number	34172B	Meter Type	Domestic
Account Number	0190007000	Meter Type	1"

REPORT DATED
11/3/2017

Backflow Details: Designated Backflow Size _____ Pressure Regulator?

DOMESTIC ANALYSIS

Each meter services different types of buildings, water features, etc. The following budgets have been created for each type of coverage below:

Coverage Type	Multi-Unit Building	Multi-Unit Building			
Description	Bldg 2650 (3 BDR)	Bldg 2650 (2 BDR)			TOTALS
Units Served	2	2			4
Budget/Month/Unit	20	14			
Daily Budget Total	1.32	0.92			2.2
Monthly Budget Total	40.00	28.00			68.0

The following calculations are based on the data collected from the physical meter readings and water bills:

		Projected vs. Actual Water Bill Analysis					
		Projected			Most Recent		
Physical Daily-Average	0.972	Tier 1 @	\$1.14	15	\$17.10	15	\$17.10
Physical Monthly-Average	29.57	Tier 2 @	\$1.83	15	\$27.45	13	\$23.79
		Tier 3 @	\$2.26				
		Tier 4 @	\$2.75				
		Tier 5 @					
		WATER CONSUMPTION TOTALS		30	\$44.55	28	\$40.89
		CUSTOMER CHARGES					\$23.29
		WATER CONSERV. SURCHARGE					\$0.96
		ADJUSTMENT BY WMT					
		TOTAL USAGE & CHARGES			\$44.55		\$65.14

PHYSICAL METER READINGS

Date & Time	Meter Reading	Reading Source	Usage (hcf)	Usage (gallons)	Days in Cycle	Daily Average (hcf)	Hours in Cycle	Hourly Average (hcf)
11/1/2017 10:00 AM	320,258.3	RST	14.58	10,905.84	15	0.972	360	0.041
10/17/2017 10:00 AM	318,800.0	WB	11.62	8,691.76	13	0.894	312	0.037
10/4/2017 10:00 AM	317,638.3	RST	16.38	12,252.24	19	0.862	456	0.036
9/15/2017 10:00 AM	316,000.0	WB	9.00	6,732.00	10	0.900	240	0.038
9/5/2017 10:00 AM	315,100.3	RST	23.00	17,204.00	25	0.920	600	0.038
8/11/2017 10:00 AM	312,800.0	WB	7.96	5,954.08	9	0.884	217	0.037
8/2/2017 9:12 AM	312,004.3	RST	18.04	13,493.92	19	0.949	455	0.040
7/14/2017 10:00 AM	310,200.0	WB	9.19	6,874.12	11	0.835	266	0.035
7/3/2017 8:00 AM	309,281.3	RST	17.81	13,321.88	19	0.937	454	0.039
6/14/2017 10:00 AM	307,500.0	WB	11.06	8,272.88	13	0.851	313	0.035

This report was prepared by Advanced Environmental Landscape Design & Consulting, LLC. If you have any questions regarding this report, please contact us at (909) 980-8300 or water@aelandscaped.com

Water Meter Inspection and Evaluation

Report prepared by Advanced Environmental Landscape Design & Consulting, LL

METER ID# 2

6/1/2017	9:03 AM	306,394.3	RST	19.94	14,915.12	20	0.997	479	0.042
5/12/2017	10:00 AM	304,400.0	WB	9.44	7,061.12	11	0.858	261	0.036
5/1/2017	1:07 PM	303,456.3	RST	17.56	13,134.88	18	0.976	435	0.040
4/13/2017	10:00 AM	301,700.0	WB	11.35	8,489.80	13	0.873	312	0.036
3/31/2017	10:05 AM	300,565.3	RST	13.65	10,210.20	16	0.853	384	0.036
3/15/2017	10:00 AM	299,200.0	WB	11.54	8,631.92	14	0.824	337	0.034
3/1/2017	9:05 AM	298,046.3	RST	16.46	12,312.08	19	0.866	455	0.036
2/10/2017	10:00 AM	296,400.0	WB	7.04	5,265.92	9	0.782	217	0.032
2/1/2017	9:55 AM	295,695.7	RST	17.96	13,434.08	19	0.945	455	0.039
1/13/2017	10:00 AM	293,900.0	WB	11.04	8,257.92	15	0.736	361	0.031
12/29/2016	9:02 AM	292,795.6	RST	13.96	10,442.08	16	0.873	383	0.036
12/13/2016	10:00 AM	291,400.0	WB	9.38	7,016.24	12	0.782	285	0.033
12/1/2016	1:17 PM	290,462.2	RST	17.62	13,179.76	21	0.839	507	0.035
11/10/2016	10:00 AM	288,700.0	WB	6.38	4,772.24	9	0.709	218	0.029
11/1/2016	8:17 AM	288,062.4	RST	13.62	10,187.76	18	0.757	430	0.032
10/14/2016	10:00 AM	286,700.0	WB	11.90	8,901.20	11	1.082	265	0.045
10/3/2016	9:31 AM	285,509.6	RST	16.10	12,042.80	19	0.847	455	0.035
9/14/2016	10:00 AM	283,900.0	WB	11.54	8,631.92	13	0.888	313	0.037
9/1/2016	9:41 AM	282,745.9	RST	16.46	12,312.08	20	0.823	479	0.034
8/12/2016	10:00 AM	281,100.0	WB	7.88	5,894.24	11	0.716	263	0.030
8/1/2016	11:23 AM	280,312.4	RST	14.62	10,935.76	18	0.812	433	0.034
7/14/2016	10:00 AM	278,850.0	WB	5.31	3,971.88	8	0.664	193	0.028
7/6/2016	9:49 AM	278,319.3	RST	18.19	13,606.12	23	0.791	551	0.033
6/13/2016	10:00 AM	276,500.0	WB	3.48	2,603.04	6	0.580	145	0.024
6/7/2016	9:17 AM	276,152.4	RST	20.52	15,348.96	26	0.789	623	0.033
5/12/2016	10:00 AM	274,100.0	WB	22.00	16,456.00	29	0.759	696	0.032
4/13/2016	10:00 AM	271,900.0	WB	8.89	6,649.72	12	0.741	289	0.031
4/1/2016	9:36 AM	271,011.4	RST	13.11	9,806.28	18	0.728	431	0.030
3/14/2016	10:00 AM	269,700.0	WB	9.41	7,038.68	13	0.724	312	0.030
3/1/2016	10:50 AM	268,759.1	RST	15.59	11,661.32	19	0.821	456	0.034
2/11/2016	10:00 AM	267,200.0	WB	6.83	5,108.84	10	0.683	240	0.028
2/1/2016	10:26 AM	266,517.1	RST	14.17	10,599.16	18	0.787	432	0.033
1/14/2016	10:00 AM	265,100.0	WB	0.59	441.32	2	0.295	48	0.012
1/12/2016	10:35 AM	265,040.7	RST	22.72	16,994.56	27	0.841	650	0.035
12/16/2015	8:12 AM	262,768.6	RST	0.69	516.12	1	0.690	22	0.031
12/15/2015	10:00 AM	262,700.0	WB	23.63	17,675.24	33	0.716	792	0.030
11/12/2015	10:31 AM	260,337.3	RST	24.37	18,228.76	29	0.840	696	0.035
10/14/2015	10:00 AM	257,900.0	WB	25.00	18,700.00	29	0.862	696	0.036
9/15/2015	10:00 AM	255,400.0	WB	24.00	17,952.00	28	0.857	672	0.036
8/18/2015	10:00 AM	253,000.0	WB	8.41	6,290.68	12	0.701	288	0.029
8/6/2015	10:45 AM	252,158.8	WMT	5.11	3,822.28	7	0.730	171	0.030
7/30/2015	7:30 AM	251,647.7	WMT	0.64	478.72	1	0.640	24	0.027
7/29/2015	7:30 AM	251,583.7	WMT	11.84	8,856.32	13	0.911	309	0.038
7/16/2015	10:00 AM	250,400.0	WB	23.00	17,204.00	31	0.742	744	0.031

*This report was prepared by Advanced Environmental Landscape Design & Consulting, LLC
If you have any questions regarding this report, please contact us at (909) 980-8300 or water@aelandscaped*

Water Meter Inspection and Evaluation

Report prepared by Advanced Environmental Landscape Design & Consulting, LL

METER ID# 3

Property Name	Mission Pointe		
Meter Number	4348B	Meter Type	Domestic
Account Number	0190018000	Meter Type	1"

REPORT DATED
11/3/2017

Backflow Details: Designated Backflow Size _____ Pressure Regulator?

DOMESTIC ANALYSIS

Each meter services different types of buildings, water features, etc. The following budgets have been created for each type of coverage below:

Coverage Type	Multi-Unit Building	Multi-Unit Building			
Description	Bldg 2680 (3 BDR)	Bldg 2680 (2 BDR)			TOTALS
Units Served	2	2			4
Budget/Month/Unit	20	14			
Daily Budget Total	1.32	0.92			2.2
Monthly Budget Total	40.00	28.00			68.0

The following calculations are based on the data collected from the physical meter readings and water bills:

		Projected vs. Actual Water Bill Analysis					
		Projected			Most Recent		
Physical Daily-Average	0.876	Tier 1 @	\$1.14	15	\$17.10	15	\$17.10
Physical Monthly-Average	26.65	Tier 2 @	\$1.83	12	\$21.96	10	\$18.30
		Tier 3 @	\$2.26				
		Tier 4 @	\$2.75				
		Tier 5 @					
		WATER CONSUMPTION TOTALS		27	\$39.06	25	\$35.40
		CUSTOMER CHARGES					\$23.29
		WATER CONSERV. SURCHARGE					\$0.88
		ADJUSTMENT BY WMT					
		TOTAL USAGE & CHARGES			\$39.06		\$59.57

PHYSICAL METER READINGS

Date & Time	Meter Reading	Reading Source	Usage (hcf)	Usage (gallons)	Days in Cycle	Daily Average (hcf)	Hours in Cycle	Hourly Average (hcf)
11/1/2017 10:00 AM	496,214.1	RST	13.14	9,828.72	15	0.876	360	0.037
10/17/2017 10:00 AM	494,900.0	WB	9.09	6,799.32	13	0.699	312	0.029
10/4/2017 10:23 AM	493,991.0	RST	15.91	11,900.68	19	0.837	456	0.035
9/15/2017 10:00 AM	492,400.0	WB	7.49	5,602.52	10	0.749	240	0.031
9/5/2017 10:00 AM	491,651.1	RST	23.51	17,585.48	25	0.940	600	0.039
8/11/2017 10:00 AM	489,300.0	WB	6.70	5,011.60	9	0.744	217	0.031
8/2/2017 9:14 AM	488,630.0	RST	17.30	12,940.40	19	0.911	455	0.038
7/14/2017 10:00 AM	486,900.0	WB	7.66	5,729.68	11	0.696	266	0.029
7/3/2017 8:00 AM	486,134.1	RST	16.34	12,222.32	19	0.860	454	0.036
6/14/2017 10:00 AM	484,500.0	WB	10.45	7,816.60	13	0.804	313	0.033

This report was prepared by Advanced Environmental Landscape Design & Consulting, LLC. If you have any questions regarding this report, please contact us at (909) 980-8300 or water@aelandscaped.com

Water Meter Inspection and Evaluation

Report prepared by Advanced Environmental Landscape Design & Consulting, LL

METER ID# 3

6/1/2017	9:06 AM	483,455.1	RST	16.55	12,379.40	20	0.828	479	0.035
5/12/2017	10:00 AM	481,800.0	WB	9.31	6,963.88	11	0.846	261	0.036
5/1/2017	1:09 PM	480,868.6	RST	14.69	10,988.12	18	0.816	435	0.034
4/13/2017	10:00 AM	479,400.0	WB	9.44	7,061.12	13	0.726	312	0.030
3/31/2017	10:07 AM	478,456.1	RST	12.56	9,394.88	16	0.785	384	0.033
3/15/2017	10:00 AM	477,200.0	WB	12.20	9,125.60	14	0.871	337	0.036
3/1/2017	9:06 AM	475,980.3	RST	11.80	8,826.40	19	0.621	455	0.026
2/10/2017	10:00 AM	474,800.0	WB	5.97	4,465.56	9	0.663	216	0.028
2/1/2017	10:00 AM	474,202.9	RST	17.03	12,738.44	19	0.896	456	0.037
1/13/2017	10:00 AM	472,500.0	WB	14.96	11,190.08	15	0.997	361	0.041
12/29/2016	9:04 AM	471,004.5	RST	46.05	34,445.40	49	0.940	1175	0.039
11/10/2016	10:00 AM	466,400.0	WB	9.44	7,061.12	9	1.049	218	0.043
11/1/2016	8:19 AM	465,455.8	RST	16.56	12,386.88	18	0.920	430	0.039
10/14/2016	10:00 AM	463,800.0	WB	8.34	6,238.32	11	0.758	265	0.031
10/3/2016	9:32 AM	462,965.8	RST	19.66	14,705.68	19	1.035	455	0.043
9/14/2016	10:00 AM	461,000.0	WB	11.54	8,631.92	13	0.888	313	0.037
9/1/2016	9:43 AM	459,846.0	RST	24.46	18,296.08	20	1.223	479	0.051
8/12/2016	10:00 AM	457,400.0	WB	11.59	8,669.32	11	1.054	263	0.044
8/1/2016	11:24 AM	456,240.6	RST	19.41	14,518.68	18	1.078	433	0.045
7/14/2016	10:00 AM	454,300.0	WB	12.90	9,649.20	8	1.613	193	0.067
7/6/2016	9:49 AM	453,009.7	RST	30.10	22,514.80	23	1.309	551	0.055
6/13/2016	10:00 AM	450,000.0	WB	8.76	6,552.48	6	1.460	145	0.060
6/7/2016	9:20 AM	449,124.1	RST	29.24	21,871.52	26	1.125	623	0.047
5/12/2016	10:00 AM	446,200.0	WB	42.00	31,416.00	29	1.448	696	0.060
4/13/2016	10:00 AM	442,000.0	WB	13.67	10,225.16	12	1.139	289	0.047
4/1/2016	9:42 AM	440,632.9	RST	18.33	13,710.84	18	1.018	431	0.043
3/14/2016	10:00 AM	438,800.0	WB	20.03	14,982.44	13	1.541	312	0.064
3/1/2016	10:56 AM	436,797.0	RST	21.97	16,433.56	19	1.156	456	0.048
2/11/2016	10:00 AM	434,600.0	WB	14.74	11,025.52	10	1.474	240	0.061
2/11/2016	10:00 AM	434,600.0	WB	14.74	11,025.52	10	1.474	240	0.061
2/11/2016	10:00 AM	434,600.0	WB	14.74	11,025.52	10	1.474	240	0.061
2/11/2016	10:00 AM	434,600.0	WB	14.74	11,025.52	10	1.474	240	0.061
2/1/2016	10:31 AM	433,126.5	RST	57.52	43,024.96	17	3.384	409	0.141
1/15/2016	9:29 AM	427,374.6	RST	4.20	3,141.60	1	4.200	24	0.175
1/14/2016	9:15 AM	426,955.1	RST	9.51	7,113.48	2	4.755	47	0.202
1/12/2016	10:40 AM	426,004.2	RST	115.82	86,633.36	27	4.290	650	0.178
12/16/2015	8:19 AM	414,422.6	RST	49.32	36,891.36	34	1.451	814	0.061
11/12/2015	10:37 AM	409,491.1	RST	45.91	34,340.68	29	1.583	696	0.066
10/14/2015	10:00 AM	404,900.0	WB	52.00	38,896.00	29	1.793	696	0.075
9/15/2015	10:00 AM	399,700.0	WB	33.00	24,684.00	28	1.179	672	0.049
8/18/2015	10:00 AM	396,400.0	WB	15.57	11,646.36	12	1.298	288	0.054
8/6/2015	10:45 AM	394,842.8	WMT	6.77	5,063.96	7	0.967	171	0.040
7/30/2015	7:40 AM	394,165.9	WMT	1.12	837.76	1	1.120	24	0.047
7/29/2015	7:35 AM	394,053.8	WMT	22.54	16,859.92	13	1.734	309	0.073

*This report was prepared by Advanced Environmental Landscape Design & Consulting, LLC
If you have any questions regarding this report, please contact us at (909) 980-8300 or water@aelandscaped*

Water Meter Inspection and Evaluation

Report prepared by Advanced Environmental Landscape Design & Consulting, LL

METER ID# 4

Property Name	Mission Pointe		
Meter Number	13205097	Meter Type	Domestic
Account Number	0190028001	Meter Type	1"

REPORT DATED
11/3/2017

Backflow Details: Designated Backflow Size _____ Pressure Regulator?

DOMESTIC ANALYSIS

Each meter services different types of buildings, water features, etc. The following budgets have been created for each type of coverage below:

Coverage Type	Multi-Unit Building	Multi-Unit Building			
Description	Bldg 2720 (3 BDR)	Bldg 2720 (2 BDR)			TOTALS
Units Served	2	2			4
Budget/Month/Unit	20	14			
Daily Budget Total	1.32	0.92			2.2
Monthly Budget Total	40.00	28.00			68.0

The following calculations are based on the data collected from the physical meter readings and water bills:

		Projected vs. Actual Water Bill Analysis					
		Projected			Most Recent		
Physical Daily-Average	0.498	Tier 1 @	\$1.14	15	\$17.10	15	\$17.10
Physical Monthly-Average	15.15	Tier 2 @	\$1.64				
		Tier 3 @	\$2.26				
		Tier 4 @	\$2.75				
		Tier 5 @					
		WATER CONSUMPTION TOTALS		15	\$17.10	15	\$17.10
		CUSTOMER CHARGES					\$23.29
		WATER CONSERV. SURCHARGE					\$0.61
		ADJUSTMENT BY WMT					
		TOTAL USAGE & CHARGES			\$17.10		\$41.00

PHYSICAL METER READINGS

Date & Time	Meter Reading	Reading Source	Usage (hcf)	Usage (gallons)	Days in Cycle	Daily Average (hcf)	Hours in Cycle	Hourly Average (hcf)
11/1/2017 10:00 AM	113,546.9	RST	7.47	5,587.56	15	0.498	360	0.021
10/17/2017 10:00 AM	112,800.0	WB	6.04	4,517.92	13	0.465	312	0.019
10/4/2017 10:27 AM	112,196.5	RST	8.97	6,709.56	19	0.472	456	0.020
9/15/2017 10:00 AM	111,300.0	WB	4.54	3,395.92	10	0.454	240	0.019
9/5/2017 10:00 AM	110,846.2	RST	12.46	9,320.08	25	0.498	600	0.021
8/11/2017 10:00 AM	109,600.0	WB	3.06	2,288.88	9	0.340	217	0.014
8/2/2017 9:16 AM	109,293.8	RST	7.94	5,939.12	19	0.418	455	0.017
7/14/2017 10:00 AM	108,500.0	WB	4.43	3,313.64	11	0.403	266	0.017
7/3/2017 8:00 AM	108,057.2	RST	7.57	5,662.36	19	0.398	454	0.017
6/14/2017 10:00 AM	107,300.0	WB	5.58	4,173.84	13	0.429	313	0.018

This report was prepared by Advanced Environmental Landscape Design & Consulting, LLC. If you have any questions regarding this report, please contact us at (909) 980-8300 or water@aelandscaped.com

Water Meter Inspection and Evaluation

Report prepared by Advanced Environmental Landscape Design & Consulting, LL

METER ID# 4

6/1/2017	9:09 AM	106,742.5	RST	10.43	7,801.64	20	0.522	479	0.022
5/12/2017	10:00 AM	105,700.0	WB	4.03	3,014.44	11	0.366	261	0.015
5/1/2017	1:11 PM	105,296.8	RST	10.97	8,205.56	18	0.609	435	0.025
4/13/2017	10:00 AM	104,200.0	WB	5.58	4,173.84	13	0.429	312	0.018
3/31/2017	10:09 AM	103,641.6	RST	8.42	6,298.16	16	0.526	384	0.022
3/15/2017	10:00 AM	102,800.0	WB	6.19	4,630.12	14	0.442	337	0.018
3/1/2017	9:10 AM	102,180.7	RST	9.81	7,337.88	19	0.516	455	0.022
2/10/2017	10:00 AM	101,200.0	WB	3.45	2,580.60	9	0.383	216	0.016
2/1/2017	10:03 AM	100,855.1	RST	12.55	9,387.40	19	0.661	456	0.028
1/13/2017	10:00 AM	99,600.0	WB	6.42	4,802.16	15	0.428	360	0.018
12/29/2016	10:00 AM	98,958.1	RST	9.58	7,165.84	16	0.599	384	0.025
12/13/2016	10:00 AM	98,000.0	WB	5.23	3,912.04	12	0.436	285	0.018
12/1/2016	1:18 PM	97,477.0	RST	11.77	8,803.96	21	0.560	507	0.023
11/10/2016	10:00 AM	96,300.0	WB	2.53	1,892.44	9	0.281	218	0.012
11/1/2016	8:21 AM	96,047.5	RST	7.48	5,595.04	18	0.416	430	0.017
10/14/2016	10:00 AM	95,300.0	WB	3.09	2,311.32	11	0.281	265	0.012
10/3/2016	9:32 AM	94,990.7	RST	7.91	5,916.68	19	0.416	455	0.017
9/14/2016	10:00 AM	94,200.0	WB	3.82	2,857.36	13	0.294	313	0.012
9/1/2016	9:44 AM	93,818.4	RST	8.18	6,118.64	20	0.409	479	0.017
8/12/2016	10:00 AM	93,000.0	WB	4.34	3,246.32	11	0.395	263	0.017
8/1/2016	11:25 AM	92,566.1	RST	7.66	5,729.68	18	0.426	433	0.018
7/14/2016	10:00 AM	91,800.0	WB	5.30	3,964.40	8	0.663	193	0.027
7/6/2016	9:51 AM	91,270.1	RST	9.70	7,255.60	23	0.422	551	0.018
6/13/2016	10:00 AM	90,300.0	WB	2.74	2,049.52	6	0.457	145	0.019
6/7/2016	9:22 AM	90,026.0	RST	14.26	10,666.48	26	0.548	623	0.023
5/12/2016	10:00 AM	88,600.0	WB	15.00	11,220.00	29	0.517	696	0.022
4/13/2016	10:00 AM	87,100.0	WB	5.91	4,420.68	12	0.493	289	0.020
4/1/2016	9:46 AM	86,509.3	RST	11.09	8,295.32	18	0.616	431	0.026
3/14/2016	10:00 AM	85,400.0	WB	6.05	4,525.40	13	0.465	311	0.019
3/1/2016	11:04 AM	84,795.2	RST	10.95	8,190.60	19	0.576	457	0.024
2/11/2016	10:00 AM	83,700.0	WB	4.19	3,134.12	10	0.419	240	0.017
2/11/2016	10:00 AM	83,700.0	WB	4.19	3,134.12	10	0.419	240	0.017
2/11/2016	10:00 AM	83,700.0	WB	4.19	3,134.12	10	0.419	240	0.017
2/11/2016	10:00 AM	83,700.0	WB	4.19	3,134.12	10	0.419	240	0.017
2/1/2016	10:37 AM	83,281.3	RST	9.81	7,337.88	18	0.545	432	0.023
1/14/2016	10:00 AM	82,300.0	WB	0.26	194.48	2	0.130	48	0.005
1/12/2016	10:45 AM	82,273.6	RST	12.94	9,679.12	27	0.479	650	0.020
12/16/2015	8:35 AM	80,979.4	RST	0.79	590.92	1	0.790	22	0.036
12/15/2015	10:00 AM	80,900.0	WB	20.46	15,304.08	33	0.620	792	0.026
11/12/2015	10:43 AM	78,854.1	RST	20.54	15,363.92	29	0.708	696	0.030
10/14/2015	10:00 AM	76,800.0	WB	17.00	12,716.00	29	0.586	696	0.024
9/15/2015	10:00 AM	75,100.0	WB	22.00	16,456.00	28	0.786	672	0.033
8/18/2015	10:00 AM	72,900.0	WB	7.75	5,797.00	12	0.646	288	0.027
8/6/2015	10:50 AM	72,125.1	WMT	5.05	3,777.40	7	0.721	171	0.030

*This report was prepared by Advanced Environmental Landscape Design & Consulting, LLC
If you have any questions regarding this report, please contact us at (909) 980-8300 or water@aelandscaped*

Water Meter Inspection and Evaluation

Report prepared by Advanced Environmental Landscape Design & Consulting, LL

METER ID# 5

Property Name	Mission Pointe		
Meter Number	000B2688	Meter Type	Domestic
Account Number	0190043000	Meter Type	1"

REPORT DATED
11/3/2017

Backflow Details: Designated Backflow Size _____ Pressure Regulator?

DOMESTIC ANALYSIS

Each meter services different types of buildings, water features, etc. The following budgets have been created for each type of coverage below:

Coverage Type	Multi-Unit Building			
Description	Bldg 2770 (2 BDR)			TOTALS
Units Served	4			4
Budget/Month/Unit	14			
Daily Budget Total	1.84			1.8
Monthly Budget Total	56.00			56.0

The following calculations are based on the data collected from the physical meter readings and water bills:

		Projected vs. Actual Water Bill Analysis					
		Projected			Most Recent		
Physical Daily-Average	0.885	Tier 1 @	\$1.14	15	\$17.10	15	\$17.10
Physical Monthly-Average	26.92	Tier 2 @	\$1.83	12	\$21.96	15	\$27.45
		Tier 3 @	\$2.26				
		Tier 4 @	\$2.75				
		Tier 5 @					
		WATER CONSUMPTION TOTALS		27	\$39.06	30	\$44.55
		CUSTOMER CHARGES			\$23.29		\$23.29
		WATER CONSERVATION FEE					\$1.02
		ADJUSTMENT BY WMT					
		TOTAL USAGE & CHARGES			\$62.35		\$68.86

PHYSICAL METER READINGS

Date & Time	Meter Reading	Reading Source	Usage (hcf)	Usage (gallons)	Days in Cycle	Daily Average (hcf)	Hours in Cycle	Hourly Average (hcf)
11/1/2017 10:00 AM	472,326.8	RST	13.27	9,925.96	15	0.885	360	0.037
10/17/2017 10:00 AM	471,000.0	WB	12.05	9,013.40	13	0.927	312	0.039
10/4/2017 10:30 AM	469,795.2	RST	17.95	13,426.60	19	0.945	456	0.039
9/15/2017 10:00 AM	468,000.0	WB	7.34	5,490.32	10	0.734	240	0.031
9/5/2017 10:00 AM	467,266.0	RST	19.66	14,705.68	25	0.786	600	0.033
8/11/2017 10:00 AM	465,300.0	WB	6.18	4,622.64	9	0.687	217	0.028
8/2/2017 9:18 AM	464,681.8	RST	13.82	10,337.36	19	0.727	455	0.030
7/14/2017 10:00 AM	463,300.0	WB	6.58	4,921.84	11	0.598	266	0.025
7/3/2017 8:00 AM	462,642.0	RST	14.42	10,786.16	19	0.759	454	0.032
6/14/2017 10:00 AM	461,200.0	WB	10.48	7,839.04	13	0.806	313	0.033

This report was prepared by Advanced Environmental Landscape Design & Consulting, LLC. If you have any questions regarding this report, please contact us at (909) 980-8300 or water@aelandscaped.com

Water Meter Inspection and Evaluation

Report prepared by Advanced Environmental Landscape Design & Consulting, LL

METER ID# 5

6/1/2017	9:12 AM	460,151.6	RST	17.52	13,104.96	20	0.876	479	0.037
5/12/2017	10:00 AM	458,400.0	WB	19.84	14,840.32	11	1.804	261	0.076
5/1/2017	1:15 PM	456,416.0	RST	25.16	18,819.68	18	1.398	435	0.058
4/13/2017	10:00 AM	453,900.0	WB	9.63	7,203.24	13	0.741	312	0.031
3/31/2017	10:11 AM	452,936.9	RST	13.37	10,000.76	16	0.836	384	0.035
3/15/2017	10:00 AM	451,600.0	WB	11.27	8,429.96	14	0.805	337	0.033
3/1/2017	9:15 AM	450,472.6	RST	16.73	12,514.04	19	0.881	455	0.037
2/10/2017	10:00 AM	448,800.0	WB	6.36	4,757.28	9	0.707	216	0.029
2/1/2017	10:05 AM	448,164.1	RST	15.64	11,698.72	19	0.823	456	0.034
1/13/2017	10:00 AM	446,600.0	WB	11.00	8,228.00	15	0.733	361	0.030
12/29/2016	9:10 AM	445,499.7	RST	12.00	8,976.00	16	0.750	383	0.031
12/13/2016	10:00 AM	444,300.0	WB	9.43	7,053.64	12	0.786	285	0.033
12/1/2016	1:22 PM	443,357.0	RST	17.57	13,142.36	21	0.837	507	0.035
11/10/2016	10:00 AM	441,600.0	WB	6.29	4,704.92	9	0.699	218	0.029
11/1/2016	8:23 AM	440,971.4	RST	14.71	11,003.08	18	0.817	430	0.034
10/14/2016	10:00 AM	439,500.0	WB	7.34	5,490.32	11	0.667	265	0.028
10/3/2016	9:35 AM	438,766.1	RST	13.66	10,217.68	19	0.719	455	0.030
9/14/2016	10:00 AM	437,400.0	WB	9.12	6,821.76	13	0.702	313	0.029
9/1/2016	9:45 AM	436,488.2	RST	13.88	10,382.24	20	0.694	479	0.029
8/12/2016	10:00 AM	435,100.0	WB	7.00	5,236.00	11	0.636	263	0.027
8/1/2016	11:26 AM	434,399.8	RST	12.00	8,976.00	18	0.667	433	0.028
7/14/2016	10:00 AM	433,200.0	WB	5.24	3,919.52	8	0.655	193	0.027
7/6/2016	9:52 AM	432,675.7	RST	16.76	12,536.48	23	0.729	551	0.030
6/13/2016	10:00 AM	431,000.0	WB	3.77	2,819.96	6	0.628	145	0.026
6/7/2016	9:24 AM	430,623.2	RST	19.23	14,384.04	26	0.740	623	0.031
5/12/2016	10:00 AM	428,700.0	WB	23.00	17,204.00	29	0.793	696	0.033
4/13/2016	10:00 AM	426,400.0	WB	8.32	6,223.36	12	0.693	289	0.029
4/1/2016	9:52 AM	425,567.9	RST	13.68	10,232.64	18	0.760	431	0.032
3/14/2016	10:00 AM	424,200.0	WB	8.61	6,440.28	13	0.662	311	0.028
3/1/2016	11:09 AM	423,338.7	RST	13.39	10,015.72	19	0.705	457	0.029
2/11/2016	10:00 AM	422,000.0	WB	6.24	4,667.52	10	0.624	240	0.026
2/11/2016	10:00 AM	422,000.0	WB	6.24	4,667.52	10	0.624	240	0.026
2/11/2016	10:00 AM	422,000.0	WB	6.24	4,667.52	10	0.624	240	0.026
2/11/2016	10:00 AM	422,000.0	WB	6.24	4,667.52	10	0.624	240	0.026
2/1/2016	10:43 AM	421,376.2	RST	12.76	9,544.48	18	0.709	432	0.030
1/14/2016	10:00 AM	420,100.0	WB	1.08	807.84	2	0.540	48	0.023
1/12/2016	10:50 AM	419,991.9	RST	19.15	14,324.20	27	0.709	650	0.029
12/16/2015	8:35 AM	418,076.8	RST	0.77	575.96	1	0.770	22	0.035
12/15/2015	10:00 AM	418,000.0	WB	24.58	18,385.84	33	0.745	792	0.031
11/12/2015	10:50 AM	415,541.7	RST	24.42	18,266.16	29	0.842	696	0.035
10/14/2015	10:00 AM	413,100.0	WB	23.00	17,204.00	29	0.793	696	0.033
9/15/2015	10:00 AM	410,800.0	WB	22.00	16,456.00	28	0.786	672	0.033
8/18/2015	10:00 AM	408,600.0	WB	10.14	7,584.72	12	0.845	288	0.035
8/6/2015	10:55 AM	407,585.9	WMT	6.08	4,547.84	7	0.869	171	0.036

*This report was prepared by Advanced Environmental Landscape Design & Consulting, LLC
If you have any questions regarding this report, please contact us at (909) 980-8300 or water@aelandscaped*

Water Meter Inspection and Evaluation

Report prepared by Advanced Environmental Landscape Design & Consulting, LL

METER ID# 6

Property Name	Mission Pointe		
Meter Number	000B2854	Meter Type	Domestic
Account Number	0190053001	Meter Type	1"

REPORT DATED
11/3/2017

Backflow Details: Designated Backflow Size _____ Pressure Regulator?

DOMESTIC ANALYSIS

Each meter services different types of buildings, water features, etc. The following budgets have been created for each type of coverage below:

Coverage Type	Multi-Unit Building	Multi-Unit Building			
Description	Bldg 2800 (3 BDR)	Bldg 2800 (2 BDR)			TOTALS
Units Served	2	2			4
Budget/Month/Unit	20	14			
Daily Budget Total	1.32	0.92			2.2
Monthly Budget Total	40.00	28.00			68.0

The following calculations are based on the data collected from the physical meter readings and water bills:

		Projected vs. Actual Water Bill Analysis					
		Projected			Most Recent		
Physical Daily-Average	0.734	Tier 1 @	\$1.14	15	\$17.10	15	\$17.10
Physical Monthly-Average	22.33	Tier 2 @	\$1.83	7	\$12.81	5	\$9.15
		Tier 3 @	\$2.26				
		Tier 4 @					
		Tier 5 @					
		WATER CONSUMPTION TOTALS		22	\$29.91	20	\$26.25
		CUSTOMER CHARGES			\$23.29		\$23.29
		WATER CONSERV. SURCHARGE					\$0.74
		ADJUSTMENT BY WMT					
		TOTAL USAGE & CHARGES			\$53.20		\$50.28

PHYSICAL METER READINGS

Date & Time	Meter Reading	Reading Source	Usage (hcf)	Usage (gallons)	Days in Cycle	Daily Average (hcf)	Hours in Cycle	Hourly Average (hcf)
11/1/2017 10:00 AM	520,001.3	RST	11.01	8,235.48	15	0.734	360	0.031
10/17/2017 10:00 AM	518,900.0	WB	8.83	6,604.84	13	0.679	312	0.028
10/4/2017 10:35 AM	518,017.1	RST	11.17	8,355.16	19	0.588	456	0.024
9/15/2017 10:00 AM	516,900.0	WB	5.40	4,039.20	10	0.540	240	0.023
9/5/2017 10:00 AM	516,360.0	RST	15.60	11,668.80	25	0.624	600	0.026
8/11/2017 10:00 AM	514,800.0	WB	4.23	3,164.04	9	0.470	217	0.019
8/2/2017 9:20 AM	514,377.1	RST	10.77	8,055.96	19	0.567	455	0.024
7/14/2017 10:00 AM	513,300.0	WB	5.35	4,001.80	11	0.486	266	0.020
7/3/2017 8:00 AM	512,765.3	RST	11.65	8,714.20	19	0.613	454	0.026
6/14/2017 10:00 AM	511,600.0	WB	7.71	5,767.08	13	0.593	313	0.025

This report was prepared by Advanced Environmental Landscape Design & Consulting, LLC. If you have any questions regarding this report, please contact us at (909) 980-8300 or water@aelandscaped.com

Water Meter Inspection and Evaluation

Report prepared by Advanced Environmental Landscape Design & Consulting, LL

METER ID# 6

6/1/2017	9:14 AM	510,829.5	RST	14.30	10,696.40	20	0.715	479	0.030
5/12/2017	10:00 AM	509,400.0	WB	5.30	3,964.40	11	0.482	261	0.020
5/1/2017	1:17 PM	508,869.6	RST	11.70	8,751.60	18	0.650	435	0.027
4/13/2017	10:00 AM	507,700.0	WB	6.75	5,049.00	13	0.519	312	0.022
3/31/2017	10:15 AM	507,024.6	RST	12.25	9,163.00	16	0.766	384	0.032
3/15/2017	10:00 AM	505,800.0	WB	10.84	8,108.32	14	0.774	337	0.032
3/1/2017	9:16 AM	504,715.9	RST	13.16	9,843.68	19	0.693	455	0.029
2/10/2017	10:00 AM	503,400.0	WB	5.48	4,099.04	9	0.609	216	0.025
2/1/2017	10:07 AM	502,851.9	RST	14.52	10,860.96	19	0.764	456	0.032
1/13/2017	10:00 AM	501,400.0	WB	12.15	9,088.20	15	0.810	361	0.034
12/29/2016	9:12 AM	500,185.5	RST	17.86	13,359.28	16	1.116	383	0.047
12/13/2016	10:00 AM	498,400.0	WB	17.23	12,888.04	12	1.436	285	0.060
12/1/2016	1:23 PM	496,677.5	RST	27.78	20,779.44	21	1.323	507	0.055
11/10/2016	10:00 AM	493,900.0	WB	11.21	8,385.08	9	1.246	218	0.051
11/1/2016	8:25 AM	492,778.9	RST	25.79	19,290.92	18	1.433	430	0.060
10/14/2016	10:00 AM	490,200.0	WB	15.04	11,249.92	11	1.367	265	0.057
10/3/2016	9:36 AM	488,696.4	RST	20.96	15,678.08	19	1.103	455	0.046
9/14/2016	10:00 AM	486,600.0	WB	14.01	10,479.48	13	1.078	313	0.045
9/1/2016	9:48 AM	485,199.3	RST	15.99	11,960.52	20	0.800	479	0.033
8/12/2016	10:00 AM	483,600.0	WB	10.42	7,794.16	11	0.947	263	0.040
8/1/2016	11:27 AM	482,557.6	RST	16.58	12,401.84	18	0.921	433	0.038
7/14/2016	10:00 AM	480,900.0	WB	4.31	3,223.88	8	0.539	193	0.022
7/6/2016	9:53 AM	480,469.4	RST	16.69	12,484.12	23	0.726	551	0.030
6/13/2016	10:00 AM	478,800.0	WB	2.70	2,019.60	6	0.450	145	0.019
6/7/2016	9:26 AM	478,529.8	RST	19.30	14,436.40	26	0.742	623	0.031
5/12/2016	10:00 AM	476,600.0	WB	19.00	14,212.00	29	0.655	696	0.027
4/13/2016	10:00 AM	474,700.0	WB	8.19	6,126.12	12	0.683	289	0.028
4/1/2016	9:56 AM	473,881.0	RST	11.81	8,833.88	18	0.656	431	0.027
3/14/2016	10:00 AM	472,700.0	WB	9.74	7,285.52	13	0.749	311	0.031
3/1/2016	11:15 AM	471,726.1	RST	13.26	9,918.48	19	0.698	457	0.029
2/11/2016	10:00 AM	470,400.0	WB	5.39	4,031.72	10	0.539	240	0.022
2/11/2016	10:00 AM	470,400.0	WB	5.39	4,031.72	10	0.539	240	0.022
2/11/2016	10:00 AM	470,400.0	WB	5.39	4,031.72	10	0.539	240	0.022
2/11/2016	10:00 AM	470,400.0	WB	5.39	4,031.72	10	0.539	240	0.022
2/1/2016	10:48 AM	469,860.6	RST	11.61	8,684.28	18	0.645	432	0.027
1/14/2016	10:00 AM	468,700.0	WB	0.65	486.20	2	0.325	48	0.014
1/12/2016	10:55 AM	468,635.1	RST	17.14	12,820.72	27	0.635	650	0.026
12/16/2015	8:47 AM	466,921.0	RST	0.21	157.08	1	0.210	22	0.010
12/15/2015	10:00 AM	466,900.0	WB	24.50	18,326.00	33	0.742	792	0.031
11/12/2015	10:52 AM	464,450.0	RST	21.50	16,082.00	29	0.741	696	0.031
10/14/2015	10:00 AM	462,300.0	WB	21.00	15,708.00	29	0.724	696	0.030
9/15/2015	10:00 AM	460,200.0	WB	16.00	11,968.00	28	0.571	672	0.024
8/18/2015	10:00 AM	458,600.0	WB	7.14	5,340.72	12	0.595	287	0.025
8/6/2015	11:00 AM	457,886.3	WMT	4.21	3,149.08	7	0.601	172	0.024

*This report was prepared by Advanced Environmental Landscape Design & Consulting, LLC
If you have any questions regarding this report, please contact us at (909) 980-8300 or water@aelandscaped*

Water Meter Inspection and Evaluation

Report prepared by Advanced Environmental Landscape Design & Consulting, LL

METER ID# 7

Property Name	Mission Pointe		
Meter Number	B2816	Meter Type	Domestic
Account Number	0190067002	Meter Type	2"

REPORT DATED
11/3/2017

Backflow Details: Designated Backflow Size _____ Pressure Regulator?

DOMESTIC ANALYSIS

Each meter services different types of buildings, water features, etc. The following budgets have been created for each type of coverage below:

Coverage Type	Multi-Unit Building	Multi-Unit Building			
Description	Bldg 2830 (3 BDR)	Bldg 2830 (2 BDR)			TOTALS
Units Served	2	2			4
Budget/Month/Unit	20	14			
Daily Budget Total	1.32	0.92			2.2
Monthly Budget Total	40.00	28.00			68.0

The following calculations are based on the data collected from the physical meter readings and water bills:

		Projected vs. Actual Water Bill Analysis					
		Projected			Most Recent		
Physical Daily-Average	0.523	Tier 1 @	\$1.14	15	\$17.10	15	\$17.10
Physical Monthly-Average	15.91	Tier 2 @	\$1.83	1	\$1.83	2	\$3.66
		Tier 3 @					
		Tier 4 @					
		Tier 5 @					
		WATER CONSUMPTION TOTALS		16	\$18.93	17	\$20.76
		CUSTOMER CHARGES			\$23.29		\$23.29
		WATER CONSERVATION FEE					\$0.66
		ADJUSTMENT BY WMT					
		TOTAL USAGE & CHARGES			\$42.22		\$44.71

PHYSICAL METER READINGS

Date & Time	Meter Reading	Reading Source	Usage (hcf)	Usage (gallons)	Days in Cycle	Daily Average (hcf)	Hours in Cycle	Hourly Average (hcf)
11/1/2017 10:00 AM	604,085.3	RST	7.85	5,871.80	15	0.523	360	0.022
10/17/2017 10:00 AM	603,300.0	WB	6.29	4,704.92	13	0.484	312	0.020
10/4/2017 10:37 AM	602,670.9	RST	10.71	8,011.08	19	0.564	456	0.023
9/15/2017 10:00 AM	601,600.0	WB	5.33	3,986.84	10	0.533	240	0.022
9/5/2017 10:00 AM	601,067.1	RST	11.67	8,729.16	25	0.467	600	0.019
8/11/2017 10:00 AM	599,900.0	WB	3.31	2,475.88	9	0.368	217	0.015
8/2/2017 9:22 AM	599,569.1	RST	11.69	8,744.12	19	0.615	455	0.026
7/14/2017 10:00 AM	598,400.0	WB	5.59	4,181.32	11	0.508	266	0.021
7/3/2017 8:00 AM	597,840.7	RST	11.41	8,534.68	19	0.601	454	0.025
6/14/2017 10:00 AM	596,700.0	WB	6.84	5,116.32	13	0.526	313	0.022

This report was prepared by Advanced Environmental Landscape Design & Consulting, LLC. If you have any questions regarding this report, please contact us at (909) 980-8300 or water@aelandscaped.com

Water Meter Inspection and Evaluation

Report prepared by Advanced Environmental Landscape Design & Consulting, LL

METER ID# 7

6/1/2017	9:16 AM	596,016.1	RST	12.16	9,095.68	20	0.608	479	0.025
5/12/2017	10:00 AM	594,800.0	WB	6.32	4,727.36	11	0.575	261	0.024
5/1/2017	1:19 PM	594,168.0	RST	10.68	7,988.64	18	0.593	435	0.025
4/13/2017	10:00 AM	593,100.0	WB	6.46	4,832.08	13	0.497	312	0.021
3/31/2017	10:10 AM	592,454.2	RST	10.54	7,883.92	16	0.659	384	0.027
3/15/2017	10:00 AM	591,400.0	WB	6.79	5,078.92	14	0.485	337	0.020
3/1/2017	9:18 AM	590,721.1	RST	11.21	8,385.08	19	0.590	455	0.025
2/10/2017	10:00 AM	589,600.0	WB	4.57	3,418.36	9	0.508	216	0.021
2/1/2017	10:08 AM	589,143.0	RST	11.43	8,549.64	19	0.602	456	0.025
1/13/2017	10:00 AM	588,000.0	WB	7.92	5,924.16	15	0.528	361	0.022
12/29/2016	9:15 AM	587,207.9	RST	8.08	6,043.84	16	0.505	383	0.021
12/13/2016	10:00 AM	586,400.0	WB	6.38	4,772.24	12	0.532	285	0.022
12/1/2016	1:24 PM	585,762.1	RST	13.62	10,187.76	21	0.649	507	0.027
11/10/2016	10:00 AM	584,400.0	WB	4.47	3,343.56	9	0.497	218	0.021
11/1/2016	8:27 AM	583,952.9	RST	11.53	8,624.44	18	0.641	430	0.027
10/14/2016	10:00 AM	582,800.0	WB	5.91	4,420.68	11	0.537	265	0.022
10/3/2016	9:37 AM	582,208.8	RST	11.09	8,295.32	19	0.584	455	0.024
9/14/2016	10:00 AM	581,100.0	WB	6.85	5,123.80	13	0.527	313	0.022
9/1/2016	9:50 AM	580,414.9	RST	12.15	9,088.20	20	0.608	479	0.025
8/12/2016	10:00 AM	579,200.0	WB	6.58	4,921.84	11	0.598	263	0.025
8/1/2016	11:28 AM	578,542.2	RST	11.42	8,542.16	18	0.634	433	0.026
7/14/2016	10:00 AM	577,400.0	WB	4.41	3,298.68	8	0.551	193	0.023
7/6/2016	9:55 AM	576,959.0	RST	15.59	11,661.32	23	0.678	551	0.028
6/13/2016	10:00 AM	575,400.0	WB	3.05	2,281.40	6	0.508	145	0.021
6/7/2016	9:28 AM	575,094.9	RST	16.95	12,678.60	26	0.652	623	0.027
5/12/2016	10:00 AM	573,400.0	WB	19.00	14,212.00	29	0.655	696	0.027
4/13/2016	10:00 AM	571,500.0	WB	7.78	5,819.44	12	0.648	288	0.027
4/1/2016	10:00 AM	570,722.0	RST	13.22	9,888.56	18	0.734	432	0.031
3/14/2016	10:00 AM	569,400.0	WB	8.59	6,425.32	13	0.661	311	0.028
3/1/2016	11:20 AM	568,540.7	RST	13.41	10,030.68	19	0.706	457	0.029
2/11/2016	10:00 AM	567,200.0	WB	6.43	4,809.64	10	0.643	240	0.027
2/1/2016	10:54 AM	566,557.5	RST	11.58	8,661.84	18	0.643	432	0.027
1/14/2016	10:00 AM	565,400.0	WB	1.20	897.60	2	0.600	47	0.026
1/12/2016	11:00 AM	565,279.8	RST	17.39	13,007.72	27	0.644	651	0.027
12/16/2015	8:54 AM	563,541.2	RST	0.41	306.68	1	0.410	22	0.019
12/15/2015	10:00 AM	563,500.0	WB	24.12	18,041.76	33	0.731	792	0.030
11/12/2015	10:59 AM	561,088.3	RST	20.88	15,618.24	29	0.720	696	0.030
10/14/2015	10:00 AM	559,000.0	WB	20.00	14,960.00	29	0.690	696	0.029
9/15/2015	10:00 AM	557,000.0	WB	19.00	14,212.00	28	0.679	672	0.028
8/18/2015	10:00 AM	555,100.0	WB	8.55	6,395.40	12	0.713	287	0.030
8/6/2015	11:10 AM	554,245.3	WMT	5.42	4,054.16	7	0.774	171	0.032
7/30/2015	8:00 AM	553,703.2	WMT	0.82	613.36	1	0.820	24	0.034
7/29/2015	8:05 AM	553,620.8	WMT	11.21	8,385.08	13	0.862	310	0.036
7/16/2015	10:00 AM	552,500.0	WB	21.00	15,708.00	31	0.677	744	0.028

*This report was prepared by Advanced Environmental Landscape Design & Consulting, LLC
If you have any questions regarding this report, please contact us at (909) 980-8300 or water@aelandscaped*

Water Meter Inspection and Evaluation

Report prepared by Advanced Environmental Landscape Design & Consulting, LL

METER ID# 8

Property Name	Mission Pointe		
Meter Number	1088B	Meter Type	Domestic
Account Number	0163732002	Meter Type	1"

REPORT DATED
11/3/2017

Backflow Details: Designated Backflow Size _____ Pressure Regulator?

DOMESTIC ANALYSIS

Each meter services different types of buildings, water features, etc. The following budgets have been created for each type of coverage below:

Coverage Type	Multi-Unit Building			
Description	Bldg 1441 (2 BDR)			TOTALS
Units Served	4			4
Budget/Month/Unit	14			
Daily Budget Total	1.84			1.8
Monthly Budget Total	56.00			56.0

The following calculations are based on the data collected from the physical meter readings and water bills:

Physical Daily-Average	0.516	Projected vs. Actual Water Bill Analysis					
				Projected		Most Recent	
Physical Monthly-Average	15.70	Tier 1 @	\$1.14	15	\$17.10	15	\$17.10
		Tier 2 @	\$1.83	1	\$1.83	2	\$3.66
		Tier 3 @	\$2.26				
		Tier 4 @	\$2.75				
		Tier 5 @					
		WATER CONSUMPTION TOTALS		16	\$18.93	17	\$20.76
		CUSTOMER CHARGES			\$23.29		\$23.29
		WATER CONSERV. SURCHARGE					\$0.66
		ADJUSTMENT BY WMT					
		TOTAL USAGE & CHARGES			\$42.22		\$44.71

PHYSICAL METER READINGS

Date & Time	Meter Reading	Reading Source	Usage (hcf)	Usage (gallons)	Days in Cycle	Daily Average (hcf)	Hours in Cycle	Hourly Average (hcf)
11/1/2017 10:00 AM	12,074.0	RST	7.74	5,789.52	15	0.516	360	0.022
10/17/2017 10:00 AM	11,300.0	WB	5.43	4,061.64	13	0.418	312	0.017
10/4/2017 10:40 AM	10,757.1	RST	11.57	8,654.36	19	0.609	456	0.025
9/15/2017 10:00 AM	9,600.0	WB	13.74	10,277.52	10	1.374	240	0.057
9/5/2017 10:00 AM	8,225.7	RST	17.26	12,910.48	25	0.690	600	0.029
8/11/2017 10:00 AM	6,500.0	WB	2.85	2,131.80	9	0.317	217	0.013
8/2/2017 9:24 AM	6,215.3	RST	13.15	9,836.20	19	0.692	455	0.029
7/14/2017 10:00 AM	4,900.0	WB	11.26	8,422.48	11	1.024	266	0.042
7/3/2017 8:00 AM	3,774.4	RST	18.74	14,017.52	19	0.986	454	0.041
6/14/2017 10:00 AM	1,900.0	WB	5.07	3,792.36	7	0.724	170	0.030

This report was prepared by Advanced Environmental Landscape Design & Consulting, LLC. If you have any questions regarding this report, please contact us at (909) 980-8300 or water@aelandscaped.com

Water Meter Inspection and Evaluation

Report prepared by Advanced Environmental Landscape Design & Consulting, LL

METER ID# 8

6/7/2017	8:00 AM	1,393.4	RST	4.29	3,208.92	6	0.715	143	0.030
6/1/2017	9:20 AM	964.1	RST	-2,337.36	1,748,345.21	20	-116.868	479	-4.880
5/12/2017	10:00 AM	0.0	WB	-2,340.36	1,750,589.21	11	-212.760	261	-8.967
5/12/2017	10:00 AM	234,700.0	WB	6.64	4,966.72	11	0.604	261	0.025
5/12/2017	10:00 AM	234,700.0	WB	6.64	4,966.72	11	0.604	261	0.025
5/12/2017	10:00 AM	0.0	WB	-2,340.36	1,750,589.21	11	-212.760	261	-8.967
5/1/2017	1:19 PM	234,036.2	RST	13.36	9,993.28	18	0.742	435	0.031
4/13/2017	10:00 AM	232,700.0	WB	9.09	6,799.32	13	0.699	312	0.029
3/31/2017	10:20 AM	231,790.8	RST	14.91	11,152.68	16	0.932	384	0.039
3/15/2017	10:00 AM	230,300.0	WB	8.98	6,717.04	14	0.641	337	0.027
3/1/2017	9:20 AM	229,402.3	RST	14.02	10,486.96	19	0.738	455	0.031
2/10/2017	10:00 AM	228,000.0	WB	5.94	4,443.12	9	0.660	216	0.028
2/1/2017	10:10 AM	227,405.7	RST	14.06	10,516.88	19	0.740	456	0.031
1/13/2017	10:00 AM	226,000.0	WB	11.89	8,893.72	15	0.793	361	0.033
12/29/2016	9:16 AM	224,811.0	RST	15.11	11,302.28	16	0.944	383	0.039
12/13/2016	10:00 AM	223,300.0	WB	8.76	6,552.48	12	0.730	285	0.031
12/1/2016	1:25 PM	222,423.7	RST	16.24	12,147.52	21	0.773	507	0.032
11/10/2016	10:00 AM	220,800.0	WB	7.23	5,408.04	9	0.803	218	0.033
11/1/2016	8:30 AM	220,076.6	RST	16.77	12,543.96	18	0.932	430	0.039
10/14/2016	10:00 AM	218,400.0	WB	8.13	6,081.24	11	0.739	265	0.031
10/3/2016	9:38 AM	217,586.7	RST	15.87	11,870.76	19	0.835	455	0.035
9/14/2016	10:00 AM	216,000.0	WB	9.54	7,135.92	13	0.734	313	0.030
9/1/2016	9:52 AM	215,046.3	RST	18.46	13,808.08	20	0.923	479	0.039
8/12/2016	10:00 AM	213,200.0	WB	5.77	4,315.96	11	0.525	263	0.022
8/1/2016	11:29 AM	212,622.9	RST	14.23	10,644.04	18	0.791	433	0.033
7/14/2016	10:00 AM	211,200.0	WB	4.94	3,695.12	8	0.618	193	0.026
7/6/2016	9:55 AM	210,706.4	RST	16.06	12,012.88	23	0.698	551	0.029
6/13/2016	10:00 AM	209,100.0	WB	5.20	3,889.60	6	0.867	145	0.036
6/7/2016	9:30 AM	208,580.5	RST	21.81	16,313.88	26	0.839	623	0.035
5/12/2016	10:00 AM	206,400.0	WB	23.00	17,204.00	29	0.793	696	0.033
4/13/2016	10:00 AM	204,100.0	WB	7.93	5,931.64	12	0.661	288	0.028
4/1/2016	10:04 AM	203,306.7	RST	14.07	10,524.36	18	0.782	432	0.033
3/14/2016	10:00 AM	201,900.0	WB	7.62	5,699.76	13	0.586	311	0.025
3/1/2016	11:26 AM	201,138.4	RST	12.38	9,260.24	19	0.652	457	0.027
2/11/2016	10:00 AM	199,900.0	WB	6.55	4,899.40	10	0.655	239	0.027
2/11/2016	10:00 AM	199,900.0	WB	6.55	4,899.40	10	0.655	239	0.027
2/11/2016	10:00 AM	199,900.0	WB	6.55	4,899.40	10	0.655	239	0.027
2/11/2016	10:00 AM	199,900.0	WB	6.55	4,899.40	10	0.655	239	0.027
2/1/2016	11:02 AM	199,245.5	RST	14.46	10,816.08	18	0.803	433	0.033
1/14/2016	10:00 AM	197,800.0	WB	1.30	972.40	2	0.650	47	0.028
1/12/2016	11:05 AM	197,670.1	RST	20.75	15,521.00	27	0.769	650	0.032
12/16/2015	9:02 AM	195,595.3	RST	0.95	710.60	1	0.950	23	0.041
12/15/2015	10:00 AM	195,500.0	WB	83.19	62,226.12	33	2.521	791	0.105
11/12/2015	11:03 AM	187,181.4	RST	29.81	22,297.88	29	1.028	697	0.043

*This report was prepared by Advanced Environmental Landscape Design & Consulting, LLC
If you have any questions regarding this report, please contact us at (909) 980-8300 or water@aelandscaped*

Water Meter Inspection and Evaluation

Report prepared by Advanced Environmental Landscape Design & Consulting, LL

METER ID# 9

Property Name	Mission Pointe		
Meter Number	13205050	Meter Type	Domestic
Account Number	0163727000	Meter Type	1"

REPORT DATED
11/3/2017

Backflow Details: Designated Backflow Size Pressure Regulator?

DOMESTIC ANALYSIS

Each meter services different types of buildings, water features, etc. The following budgets have been created for each type of coverage below:

Coverage Type	Multi-Unit Building			
Description	Bldg 1421 (2 BDR)			TOTALS
Units Served	4			4
Budget/Month/Unit	14			
Daily Budget Total	1.84			1.8
Monthly Budget Total	56.00			56.0

The following calculations are based on the data collected from the physical meter readings and water bills:

		Projected vs. Actual Water Bill Analysis					
		Projected			Most Recent		
Physical Daily-Average	0.839	Tier 1 @	\$1.14	15	\$17.10	15	\$17.10
Physical Monthly-Average	25.52	Tier 2 @	\$1.83	11	\$20.13	5	\$9.15
		Tier 3 @	\$2.26				
		Tier 4 @	\$2.75				
		Tier 5 @	\$2.85				
		WATER CONSUMPTION TOTALS		26	\$37.23	20	\$26.25
		CUSTOMER CHARGES			\$23.29		\$23.29
		WATER CONSERV. SURCHARGE					\$0.74
		ADJUSTMENT BY WMT					
		TOTAL USAGE & CHARGES			\$60.52		\$50.28

PHYSICAL METER READINGS

Date & Time	Meter Reading	Reading Source	Usage (hcf)	Usage (gallons)	Days in Cycle	Daily Average (hcf)	Hours in Cycle	Hourly Average (hcf)
11/1/2017 10:00 AM	176,658.6	RST	12.59	9,417.32	15	0.839	360	0.035
10/17/2017 10:00 AM	175,400.0	WB	7.82	5,849.36	13	0.602	312	0.025
10/4/2017 10:45 AM	174,617.8	RST	12.18	9,110.64	19	0.641	456	0.027
9/15/2017 10:00 AM	173,400.0	WB	6.35	4,749.80	10	0.635	240	0.026
9/5/2017 10:00 AM	172,764.8	RST	15.65	11,706.20	25	0.626	600	0.026
8/11/2017 10:00 AM	171,200.0	WB	4.95	3,702.60	9	0.550	217	0.023
8/2/2017 9:26 AM	170,705.2	RST	11.05	8,265.40	19	0.582	455	0.024
7/14/2017 10:00 AM	169,600.0	WB	5.77	4,315.96	11	0.525	266	0.022
7/3/2017 8:00 AM	169,023.2	RST	13.23	9,896.04	19	0.696	454	0.029
6/14/2017 10:00 AM	167,700.0	WB	8.27	6,185.96	13	0.636	313	0.026

This report was prepared by Advanced Environmental Landscape Design & Consulting, LLC. If you have any questions regarding this report, please contact us at (909) 980-8300 or water@aelandscaped.com

Water Meter Inspection and Evaluation

Report prepared by Advanced Environmental Landscape Design & Consulting, LL

METER ID# 9

6/1/2017	9:22 AM	166,873.0	RST	12.73	9,522.04	20	0.637	479	0.027
5/12/2017	10:00 AM	165,600.0	WB	6.50	4,862.00	11	0.591	261	0.025
5/1/2017	1:23 PM	164,950.1	RST	10.50	7,854.00	18	0.583	435	0.024
4/13/2017	10:00 AM	163,900.0	WB	7.03	5,258.44	13	0.541	312	0.023
3/31/2017	10:22 AM	163,197.4	RST	9.97	7,457.56	16	0.623	384	0.026
3/15/2017	10:00 AM	162,200.0	WB	6.75	5,049.00	14	0.482	337	0.020
3/1/2017	9:22 AM	161,524.6	RST	11.25	8,415.00	19	0.592	455	0.025
2/10/2017	10:00 AM	160,400.0	WB	8.30	6,208.40	9	0.922	216	0.038
2/1/2017	10:12 AM	159,570.2	RST	8.70	6,507.60	19	0.458	456	0.019
1/13/2017	10:00 AM	158,700.0	WB	10.69	7,996.12	15	0.713	361	0.030
12/29/2016	9:16 AM	157,631.2	RST	16.31	12,199.88	16	1.019	383	0.043
12/13/2016	10:00 AM	156,000.0	WB	11.12	8,317.76	12	0.927	285	0.039
12/1/2016	1:27 PM	154,887.7	RST	21.88	16,366.24	21	1.042	507	0.043
11/10/2016	10:00 AM	152,700.0	WB	7.53	5,632.44	9	0.837	218	0.035
11/1/2016	8:32 AM	151,947.5	RST	17.48	13,075.04	18	0.971	430	0.041
10/14/2016	10:00 AM	150,200.0	WB	9.63	7,203.24	11	0.875	265	0.036
10/3/2016	9:40 AM	149,237.5	RST	17.38	13,000.24	19	0.915	455	0.038
9/14/2016	10:00 AM	147,500.0	WB	11.64	8,706.72	13	0.895	313	0.037
9/1/2016	9:54 AM	146,336.4	RST	24.36	18,221.28	20	1.218	479	0.051
8/12/2016	10:00 AM	143,900.0	WB	17.84	13,344.32	11	1.622	263	0.068
8/1/2016	11:30 AM	142,115.8	RST	17.16	12,835.68	18	0.953	433	0.040
7/14/2016	10:00 AM	140,400.0	WB	7.38	5,520.24	8	0.923	193	0.038
7/6/2016	9:59 AM	139,661.8	RST	20.96	15,678.08	22	0.953	528	0.040
6/14/2016	9:00 AM	137,566.0	RST	1.66	1,241.68	1	1.660	23	0.072
6/13/2016	10:00 AM	137,400.0	WB	6.17	4,615.16	6	1.028	145	0.043
6/7/2016	9:32 AM	136,783.4	RST	47.83	35,776.84	26	1.840	623	0.077
5/12/2016	10:00 AM	132,000.0	WB	35.00	26,180.00	29	1.207	696	0.050
4/13/2016	10:00 AM	128,500.0	WB	11.49	8,594.52	12	0.958	288	0.040
4/1/2016	10:09 AM	127,351.0	RST	18.51	13,845.48	18	1.028	432	0.043
3/14/2016	10:00 AM	125,500.0	WB	11.95	8,938.60	13	0.919	311	0.038
3/1/2016	11:32 AM	124,304.7	RST	18.05	13,501.40	19	0.950	457	0.039
2/11/2016	10:00 AM	122,500.0	WB	6.81	5,093.88	10	0.681	239	0.028
2/11/2016	10:00 AM	122,500.0	WB	6.81	5,093.88	10	0.681	239	0.028
2/11/2016	10:00 AM	122,500.0	WB	6.81	5,093.88	10	0.681	239	0.028
2/11/2016	10:00 AM	122,500.0	WB	6.81	5,093.88	10	0.681	239	0.028
2/1/2016	11:08 AM	121,819.0	RST	13.54	10,127.92	17	0.796	410	0.033
1/15/2016	9:45 AM	120,465.3	RST	2.00	1,496.00	1	2.000	24	0.083
1/14/2016	9:25 AM	120,265.2	RST	3.59	2,685.32	2	1.795	46	0.078
1/12/2016	11:10 AM	119,906.2	RST	51.73	38,694.04	27	1.916	650	0.080
12/16/2015	9:10 AM	114,733.2	RST	0.33	246.84	1	0.330	23	0.014
12/15/2015	10:00 AM	114,700.0	WB	57.20	42,785.60	33	1.733	791	0.072
11/12/2015	11:10 AM	108,980.0	RST	50.86	38,043.28	29	1.754	697	0.073
10/14/2015	10:00 AM	103,893.7	RST	52.94	39,599.12	29	1.826	696	0.076
9/15/2015	10:00 AM	98,600.0	WB	49.00	36,652.00	28	1.750	672	0.073

*This report was prepared by Advanced Environmental Landscape Design & Consulting, LLC
If you have any questions regarding this report, please contact us at (909) 980-8300 or water@aelandscaped*

Water Meter Inspection and Evaluation

Report prepared by Advanced Environmental Landscape Design & Consulting, LL

METER ID# 10

Property Name	Mission Pointe		
Meter Number	13205094	Meter Type	Domestic
Account Number	0191042000	Meter Type	1"

REPORT DATED
11/3/2017

Backflow Details: Designated Backflow Size _____ Pressure Regulator?

DOMESTIC ANALYSIS

Each meter services different types of buildings, water features, etc. The following budgets have been created for each type of coverage below:

Coverage Type	Multi-Unit Building	Multi-Unit Building			
Description	Bldg 2831 (3BDR)	Bldg 2831 (2BDR)			TOTALS
Units Served	2	2			4
Budget/Month/Unit	20	14			
Daily Budget Total	1.32	0.92			2.2
Monthly Budget Total	40.00	28.00			68.0

The following calculations are based on the data collected from the physical meter readings and water bills:

		Projected vs. Actual Water Bill Analysis					
		Projected			Most Recent		
Physical Daily-Average	0.711	Tier 1 @	\$1.14	15	\$17.10	15	\$17.10
Physical Monthly-Average	21.63	Tier 2 @	\$1.83	7	\$12.81	11	\$20.13
		Tier 3 @	\$2.26				
		Tier 4 @					
		Tier 5 @					
		WATER CONSUMPTION TOTALS		22	\$29.91	26	\$37.23
		CUSTOMER CHARGES			\$23.29		\$23.29
		WATER CONSERV. SURCHARGE					\$0.91
		SEWER					\$35.68
		SEWER PB CHARGE					\$0.05
		TOTAL USAGE & CHARGES			\$53.20		\$97.16

PHYSICAL METER READINGS

Date & Time	Meter Reading	Reading Source	Usage (hcf)	Usage (gallons)	Days in Cycle	Daily Average (hcf)	Hours in Cycle	Hourly Average (hcf)
11/1/2017 10:00 AM	185,066.6	RST	10.67	7,981.16	15	0.711	360	0.030
10/17/2017 10:00 AM	184,000.0	WB	8.53	6,380.44	13	0.656	312	0.027
10/4/2017 10:55 AM	183,147.2	RST	17.47	13,067.56	19	0.919	456	0.038
9/15/2017 10:00 AM	181,400.0	WB	8.52	6,372.96	10	0.852	240	0.036
9/5/2017 10:00 AM	180,548.4	RST	24.48	18,311.04	25	0.979	600	0.041
8/11/2017 10:00 AM	178,100.0	WB	8.93	6,679.64	9	0.992	217	0.041
8/2/2017 9:28 AM	177,206.6	RST	21.07	15,760.36	19	1.109	455	0.046
7/14/2017 10:00 AM	175,100.0	WB	12.62	9,439.76	11	1.147	266	0.047
7/3/2017 8:00 AM	173,838.2	RST	20.38	15,244.24	19	1.073	454	0.045
6/14/2017 10:00 AM	171,800.0	WB	12.69	9,492.12	13	0.976	313	0.041

This report was prepared by Advanced Environmental Landscape Design & Consulting, LLC. If you have any questions regarding this report, please contact us at (909) 980-8300 or water@aelandscaped.com

Water Meter Inspection and Evaluation

Report prepared by Advanced Environmental Landscape Design & Consulting, LL

METER ID# 10

6/1/2017	9:24 AM	170,531.4	RST	22.31	16,687.88	20	1.116	479	0.047
5/12/2017	10:00 AM	168,300.0	WB	9.79	7,322.92	11	0.890	261	0.038
5/1/2017	1:25 PM	167,321.0	RST	20.21	15,117.08	18	1.123	435	0.046
4/13/2017	10:00 AM	165,300.0	WB	12.30	9,200.40	13	0.946	312	0.039
3/31/2017	10:25 AM	164,070.2	RST	20.70	15,483.60	16	1.294	384	0.054
3/15/2017	10:00 AM	162,000.0	WB	20.87	15,610.76	14	1.491	337	0.062
3/1/2017	9:23 AM	159,913.2	RST	33.13	24,781.24	19	1.744	455	0.073
2/10/2017	10:00 AM	156,600.0	WB	14.66	10,965.68	9	1.629	216	0.068
2/1/2017	10:14 AM	155,134.5	RST	29.35	21,953.80	19	1.545	456	0.064
1/13/2017	10:00 AM	152,200.0	WB	22.21	16,613.08	15	1.481	361	0.062
12/29/2016	9:18 AM	149,978.9	RST	24.79	18,542.92	16	1.549	383	0.065
12/13/2016	10:00 AM	147,500.0	WB	17.20	12,865.60	12	1.433	285	0.060
12/1/2016	1:28 PM	145,779.8	RST	34.80	26,030.40	21	1.657	507	0.069
11/10/2016	10:00 AM	142,300.0	WB	14.78	11,055.44	9	1.642	218	0.068
11/1/2016	8:35 AM	140,822.1	RST	31.22	23,352.56	18	1.734	430	0.073
10/14/2016	10:00 AM	137,700.0	WB	16.97	12,693.56	11	1.543	265	0.064
10/3/2016	9:42 AM	136,002.7	RST	31.03	23,210.44	19	1.633	455	0.068
9/14/2016	10:00 AM	132,900.0	WB	17.31	12,947.88	13	1.332	313	0.055
9/1/2016	9:55 AM	131,169.1	RST	29.69	22,208.12	20	1.485	479	0.062
8/12/2016	10:00 AM	128,200.0	WB	14.43	10,793.64	11	1.312	263	0.055
8/1/2016	11:31 AM	126,757.4	RST	28.57	21,370.36	18	1.587	433	0.066
7/14/2016	10:00 AM	123,900.0	WB	13.15	9,836.20	8	1.644	192	0.068
7/6/2016	10:01 AM	122,585.5	RST	34.86	26,075.28	23	1.516	552	0.063
6/13/2016	10:00 AM	119,100.0	WB	7.40	5,535.20	6	1.233	140	0.053
6/7/2016	2:19 PM	118,359.9	RST	33.60	25,132.80	26	1.292	628	0.054
5/12/2016	10:00 AM	115,000.0	WB	34.00	25,432.00	29	1.172	696	0.049
4/13/2016	10:00 AM	111,600.0	WB	11.78	8,811.44	12	0.982	288	0.041
4/1/2016	10:13 AM	110,421.8	RST	19.22	14,376.56	18	1.068	432	0.044
3/14/2016	10:00 AM	108,500.0	WB	11.72	8,766.56	13	0.902	311	0.038
3/1/2016	11:38 AM	107,327.8	RST	20.28	15,169.44	19	1.067	457	0.044
2/11/2016	10:00 AM	105,300.0	WB	9.65	7,218.20	10	0.965	239	0.040
2/1/2016	11:45 AM	104,335.2	RST	20.35	15,221.80	18	1.131	433	0.047
1/14/2016	10:00 AM	102,300.0	WB	1.30	972.40	2	0.650	47	0.028
1/12/2016	11:15 AM	102,170.3	RST	28.69	21,460.12	27	1.063	650	0.044
12/16/2015	9:18 AM	99,301.0	RST	1.01	755.48	1	1.010	23	0.044
12/15/2015	10:00 AM	99,200.0	WB	37.52	28,064.96	33	1.137	791	0.047
11/12/2015	11:16 AM	95,447.6	RST	38.48	28,783.04	29	1.327	697	0.055
10/14/2015	10:00 AM	91,600.0	WB	37.00	27,676.00	29	1.276	696	0.053
9/15/2015	10:00 AM	87,900.0	WB	34.00	25,432.00	28	1.214	672	0.051
8/18/2015	10:00 AM	84,500.0	WB	14.03	10,494.44	12	1.169	287	0.049
8/6/2015	11:20 AM	83,097.3	WMT	7.34	5,490.32	7	1.049	171	0.043
7/30/2015	8:10 AM	82,363.1	WMT	1.31	979.88	1	1.310	24	0.055
7/29/2015	8:25 AM	82,232.1	WMT	16.32	12,207.36	13	1.255	310	0.053
7/16/2015	10:00 AM	80,600.0	WB	34.00	25,432.00	31	1.097	744	0.046

*This report was prepared by Advanced Environmental Landscape Design & Consulting, LLC
If you have any questions regarding this report, please contact us at (909) 980-8300 or water@aelandscaped*

Water Meter Inspection and Evaluation

Report prepared by Advanced Environmental Landscape Design & Consulting, LL

METER ID# 11

Property Name	Mission Pointe		
Meter Number	13205039	Meter Type	Domestic
Account Number	0191032000	Meter Type	1"

REPORT DATED
11/3/2017

Backflow Details: Designated Backflow Size _____ Pressure Regulator?

DOMESTIC ANALYSIS

Each meter services different types of buildings, water features, etc. The following budgets have been created for each type of coverage below:

Coverage Type	Multi-Unit Building	Multi-Unit Building			
Description	Bldg 2801 (3 BDR)	Bldg 2801 (2 BDR)			TOTALS
Units Served	2	2			4
Budget/Month/Unit	20	14			
Daily Budget Total	1.32	0.92			2.2
Monthly Budget Total	40.00	28.00			68.0

The following calculations are based on the data collected from the physical meter readings and water bills:

Physical Daily-Average	0.901	Projected vs. Actual Water Bill Analysis					
	Physical Monthly-Average	27.41	Projected		Most Recent		
			Tier 1 @	\$1.13	15	\$16.95	15
		Tier 2 @	\$1.64	12	\$19.68	17	\$27.88
		Tier 3 @	\$2.26				
		Tier 4 @	\$2.75				
		Tier 5 @					
		WATER CONSUMPTION TOTALS		27	\$36.63	32	\$44.83
		CUSTOMER CHARGES			\$23.29		\$23.29
		SEWER					\$39.54
		WATER CONSERV. SURCHARGE					\$1.07
		SEWER PB CHARGE					\$0.05
		TOTAL USAGE & CHARGES			\$59.92		\$108.78

PHYSICAL METER READINGS

Date & Time	Meter Reading	Reading Source	Usage (hcf)	Usage (gallons)	Days in Cycle	Daily Average (hcf)	Hours in Cycle	Hourly Average (hcf)
11/1/2017 10:00 AM	159,451.5	RST	13.52	10,112.96	15	0.901	360	0.038
10/17/2017 10:00 AM	158,100.0	WB	12.43	9,297.64	13	0.956	312	0.040
10/4/2017 10:57 AM	156,856.9	RST	19.57	14,638.36	19	1.030	456	0.043
9/15/2017 10:00 AM	154,900.0	WB	15.12	11,309.76	10	1.512	240	0.063
9/5/2017 10:00 AM	153,388.3	RST	25.88	19,358.24	25	1.035	600	0.043
8/11/2017 10:00 AM	150,800.0	WB	9.61	7,188.28	9	1.068	217	0.044
8/2/2017 9:30 AM	149,838.8	RST	17.39	13,007.72	19	0.915	455	0.038
7/14/2017 10:00 AM	148,100.0	WB	11.99	8,968.52	11	1.090	266	0.045
7/3/2017 8:00 AM	146,900.8	RST	25.01	18,707.48	19	1.316	454	0.055
6/14/2017 10:00 AM	144,400.0	WB	11.23	8,400.04	13	0.864	313	0.036

This report was prepared by Advanced Environmental Landscape Design & Consulting, LLC. If you have any questions regarding this report, please contact us at (909) 980-8300 or water@aelandscaped.com

Water Meter Inspection and Evaluation

Report prepared by Advanced Environmental Landscape Design & Consulting, LL

METER ID# 11

6/1/2017	9:30 AM	143,276.9	RST	19.77	14,787.96	20	0.989	479	0.041
5/12/2017	10:00 AM	141,300.0	WB	10.62	7,943.76	11	0.965	261	0.041
5/1/2017	1:28 PM	140,237.8	RST	18.38	13,748.24	18	1.021	435	0.042
4/13/2017	10:00 AM	138,400.0	WB	10.38	7,764.24	13	0.798	312	0.033
3/31/2017	10:30 AM	137,362.3	RST	14.62	10,935.76	16	0.914	384	0.038
3/15/2017	10:00 AM	135,900.0	WB	12.33	9,222.84	14	0.881	337	0.037
3/1/2017	9:30 AM	134,666.6	RST	17.67	13,217.16	19	0.930	455	0.039
2/10/2017	10:00 AM	132,900.0	WB	7.09	5,303.32	9	0.788	216	0.033
2/1/2017	10:15 AM	132,190.6	RST	17.91	13,396.68	19	0.943	456	0.039
1/13/2017	10:00 AM	130,400.0	WB	12.77	9,551.96	15	0.851	361	0.035
12/29/2016	9:20 AM	129,123.1	RST	13.23	9,896.04	16	0.827	383	0.035
12/13/2016	10:00 AM	127,800.0	WB	9.55	7,143.40	12	0.796	285	0.034
12/1/2016	1:30 PM	126,844.7	RST	19.45	14,548.60	21	0.926	507	0.038
11/10/2016	10:00 AM	124,900.0	WB	6.77	5,063.96	9	0.752	218	0.031
11/1/2016	8:37 AM	124,222.8	RST	16.23	12,140.04	18	0.902	430	0.038
10/14/2016	10:00 AM	122,600.0	WB	9.91	7,412.68	11	0.901	265	0.037
10/3/2016	9:43 AM	121,609.1	RST	16.09	12,035.32	19	0.847	455	0.035
9/14/2016	10:00 AM	120,000.0	WB	8.28	6,193.44	13	0.637	313	0.026
9/1/2016	9:56 AM	119,171.7	RST	14.72	11,010.56	20	0.736	479	0.031
8/12/2016	10:00 AM	117,700.0	WB	5.90	4,413.20	11	0.536	263	0.022
8/1/2016	11:32 AM	117,110.0	RST	11.10	8,302.80	18	0.617	433	0.026
7/14/2016	10:00 AM	116,000.0	WB	5.88	4,398.24	8	0.735	192	0.031
7/6/2016	10:03 AM	115,412.1	RST	20.12	15,049.76	23	0.875	552	0.036
6/13/2016	10:00 AM	113,400.0	WB	3.92	2,932.16	6	0.653	140	0.028
6/7/2016	2:21 PM	113,007.6	RST	23.08	17,263.84	26	0.888	628	0.037
5/12/2016	10:00 AM	110,700.0	WB	25.00	18,700.00	29	0.862	696	0.036
4/13/2016	10:00 AM	108,200.0	WB	8.96	6,702.08	12	0.747	288	0.031
4/1/2016	10:17 AM	107,304.5	RST	14.05	10,509.40	18	0.781	432	0.033
3/14/2016	10:00 AM	105,900.0	WB	10.39	7,771.72	13	0.799	311	0.033
3/1/2016	11:45 AM	104,861.0	RST	16.61	12,424.28	19	0.874	457	0.036
2/11/2016	10:00 AM	103,200.0	WB	10.48	7,839.04	10	1.048	239	0.044
2/1/2016	11:20 AM	102,151.6	RST	18.52	13,852.96	18	1.029	433	0.043
1/14/2016	10:00 AM	100,300.0	WB	0.75	561.00	2	0.375	47	0.016
1/12/2016	11:20 AM	100,224.7	RST	24.95	18,662.60	27	0.924	650	0.038
12/16/2015	9:25 AM	97,729.8	RST	0.30	224.40	1	0.300	23	0.013
12/15/2015	10:00 AM	97,700.0	WB	36.39	27,219.72	33	1.103	791	0.046
11/12/2015	11:20 AM	94,061.4	RST	27.61	20,652.28	29	0.952	697	0.040
10/14/2015	10:00 AM	91,300.0	WB	29.00	21,692.00	29	1.000	696	0.042
9/15/2015	10:00 AM	88,400.0	WB	30.00	22,440.00	28	1.071	672	0.045
8/18/2015	10:00 AM	85,400.0	WB	10.50	7,854.00	12	0.875	287	0.037
8/6/2015	11:20 AM	84,349.6	WMT	5.04	3,769.92	7	0.720	171	0.029
7/30/2015	8:10 AM	83,845.4	WMT	0.85	635.80	1	0.850	24	0.035
7/29/2015	8:30 AM	83,760.8	WMT	12.61	9,432.28	13	0.970	310	0.041
7/16/2015	10:00 AM	82,500.0	WB	40.00	29,920.00	31	1.290	744	0.054

*This report was prepared by Advanced Environmental Landscape Design & Consulting, LLC
If you have any questions regarding this report, please contact us at (909) 980-8300 or water@aelandscaped*

Water Meter Inspection and Evaluation

Report prepared by Advanced Environmental Landscape Design & Consulting, LL

METER ID# 12

Property Name	Mission Pointe		
Meter Number	5464	Meter Type	Domestic
Account Number	0191027000	Meter Type	1"

REPORT DATED
11/3/2017

Backflow Details: Designated Backflow Size _____ Pressure Regulator?

DOMESTIC ANALYSIS

Each meter services different types of buildings, water features, etc. The following budgets have been created for each type of coverage below:

Coverage Type	Multi-Unit Building			
Description	Bldg 2771 (2 BDR)			TOTALS
Units Served	4			4
Budget/Month/Unit	14			
Daily Budget Total	1.84			1.8
Monthly Budget Total	56.00			56.0

The following calculations are based on the data collected from the physical meter readings and water bills:

		Projected vs. Actual Water Bill Analysis					
		Projected			Most Recent		
Physical Daily-Average	0.884	Tier 1 @	\$1.14	15	\$17.10	15	\$17.10
Physical Monthly-Average	26.89	Tier 2 @	\$1.83	12	\$21.96	14	\$25.62
		Tier 3 @	\$2.26				
		Tier 4 @	\$2.75				
		Tier 5 @					
		WATER CONSUMPTION TOTALS		27	\$39.06	29	\$42.72
		CUSTOMER CHARGES			\$23.29		\$23.29
		WATER CONSERV. SURCHARGE					\$0.99
		SEWER					\$39.54
		SEWER PB CHARGE					\$0.05
		TOTAL USAGE & CHARGES			\$62.35		\$106.59

PHYSICAL METER READINGS

Date & Time	Meter Reading	Reading Source	Usage (hcf)	Usage (gallons)	Days in Cycle	Daily Average (hcf)	Hours in Cycle	Hourly Average (hcf)
11/1/2017 10:00 AM	12,425.5	RST	13.26	9,918.48	15	0.884	360	0.037
10/17/2017 10:00 AM	11,100.0	WB	11.18	8,362.64	13	0.860	311	0.036
10/4/2017 11:00 AM	9,982.1	RST	17.82	13,329.36	19	0.938	457	0.039
9/15/2017 10:00 AM	8,200.0	WB	8.33	6,230.84	10	0.833	240	0.035
9/5/2017 10:00 AM	7,367.3	RST	20.67	15,461.16	25	0.827	600	0.034
8/11/2017 10:00 AM	5,300.0	WB	7.89	5,901.72	9	0.877	217	0.036
8/2/2017 9:32 AM	4,511.2	RST	17.11	12,798.28	19	0.901	455	0.038
7/14/2017 10:00 AM	2,800.0	WB	9.04	6,761.92	11	0.822	266	0.034
7/3/2017 8:00 AM	1,896.0	RST	16.96	12,686.08	19	0.893	454	0.037
6/14/2017 10:01 AM	200.0	WB	0.00	0.00	N/A	N/A	N/A	N/A

This report was prepared by Advanced Environmental Landscape Design & Consulting, LLC. If you have any questions regarding this report, please contact us at (909) 980-8300 or water@aelandscaped.com

Water Meter Inspection and Evaluation

Report prepared by Advanced Environmental Landscape Design & Consulting, LL

METER ID# 12

6/1/2017	10:00 AM	0.0	WB	-7,758.25	5,803,171.00	0	#Div/0!	1	7,758.25
6/1/2017	9:32 AM	775,825.3	RST	14.25	10,659.00	20	0.713	479	0.030
5/12/2017	10:00 AM	774,400.0	WB	6.71	5,019.08	11	0.610	261	0.026
5/1/2017	1:30 PM	773,729.3	RST	13.29	9,940.92	18	0.738	435	0.031
4/13/2017	10:00 AM	772,400.0	WB	8.19	6,126.12	13	0.630	312	0.026
3/31/2017	10:33 AM	771,581.1	RST	10.81	8,085.88	16	0.676	384	0.028
3/15/2017	10:00 AM	770,500.0	WB	9.14	6,836.72	14	0.653	337	0.027
3/1/2017	9:30 AM	769,586.1	RST	8.86	6,627.28	19	0.466	455	0.019
2/10/2017	10:00 AM	768,700.0	WB	4.55	3,403.40	9	0.506	216	0.021
2/1/2017	10:18 AM	768,244.8	RST	13.45	10,060.60	19	0.708	456	0.029
1/13/2017	10:00 AM	766,900.0	WB	9.15	6,844.20	15	0.610	361	0.025
12/29/2016	9:21 AM	765,985.1	RST	9.85	7,367.80	16	0.616	383	0.026
12/13/2016	10:00 AM	765,000.0	WB	7.54	5,639.92	12	0.628	285	0.026
12/1/2016	1:32 PM	764,246.3	RST	11.46	8,572.08	21	0.546	507	0.023
11/10/2016	10:00 AM	763,100.0	WB	4.00	2,992.00	9	0.444	218	0.018
11/1/2016	8:40 AM	762,699.8	RST	9.00	6,732.00	18	0.500	430	0.021
10/14/2016	10:00 AM	761,800.0	WB	4.35	3,253.80	11	0.395	264	0.016
10/3/2016	10:00 AM	761,365.1	RST	7.65	5,722.20	19	0.403	456	0.017
9/14/2016	10:00 AM	760,600.0	WB	6.40	4,787.20	13	0.492	313	0.020
9/1/2016	9:58 AM	759,960.0	RST	10.60	7,928.80	20	0.530	479	0.022
8/12/2016	10:00 AM	758,900.0	WB	7.24	5,415.52	11	0.658	263	0.028
8/1/2016	11:33 AM	758,176.5	RST	19.77	14,787.96	18	1.098	433	0.046
7/14/2016	10:00 AM	756,200.0	WB	5.86	4,383.28	8	0.733	192	0.031
7/6/2016	10:05 AM	755,613.9	RST	25.14	18,804.72	23	1.093	552	0.046
6/13/2016	10:00 AM	753,100.0	WB	3.04	2,273.92	6	0.507	140	0.022
6/7/2016	2:23 PM	752,796.5	RST	22.97	17,181.56	26	0.883	628	0.037
5/12/2016	10:00 AM	750,500.0	WB	22.00	16,456.00	29	0.759	696	0.032
4/13/2016	10:00 AM	748,300.0	WB	10.56	7,898.88	12	0.880	288	0.037
4/1/2016	10:22 AM	747,243.9	RST	18.44	13,793.12	18	1.024	432	0.043
3/14/2016	10:00 AM	745,400.0	WB	12.17	9,103.16	13	0.936	311	0.039
3/1/2016	11:52 AM	744,182.9	RST	18.83	14,084.84	19	0.991	457	0.041
2/11/2016	10:00 AM	742,300.0	WB	10.76	8,048.48	10	1.076	239	0.045
2/1/2016	11:26 AM	741,224.5	RST	23.00	17,204.00	17	1.353	409	0.056
1/15/2016	10:30 AM	738,924.4	RST	1.24	927.52	1	1.240	24	0.052
1/14/2016	10:00 AM	738,800.0	WB	2.27	1,697.96	2	1.135	47	0.048
1/12/2016	11:25 AM	738,573.1	RST	77.22	57,760.56	27	2.860	650	0.119
12/16/2015	9:33 AM	730,851.0	RST	0.51	381.48	1	0.510	23	0.022
12/15/2015	10:00 AM	730,800.0	WB	40.10	29,994.80	33	1.215	791	0.051
11/12/2015	11:24 AM	726,790.1	RST	33.90	25,357.20	29	1.169	697	0.049
10/14/2015	10:00 AM	723,400.0	WB	49.00	36,652.00	29	1.690	696	0.070
9/15/2015	10:00 AM	718,500.0	WB	54.00	40,392.00	28	1.929	672	0.080
8/18/2015	10:00 AM	713,100.0	WB	32.79	24,526.92	12	2.733	287	0.114
8/6/2015	11:25 AM	709,821.0	WMT	18.97	14,189.56	7	2.710	171	0.111
7/30/2015	8:15 AM	707,924.2	WMT	3.48	2,603.04	1	3.480	24	0.145

This report was prepared by Advanced Environmental Landscape Design & Consulting, LLC. If you have any questions regarding this report, please contact us at (909) 980-8300 or water@aelandscaped

Water Meter Inspection and Evaluation

Report prepared by Advanced Environmental Landscape Design & Consulting, LLC

METER ID# 13

Property Name	Mission Pointe		
Meter Number	1188D	Meter Type	Mixed
Account Number	0208682000	Meter Type	1"

REPORT DATED
11/3/2017

Backflow Details: Designated Backflow Size 2" Pressure Regulator?

DOMESTIC ANALYSIS

Each meter services different types of buildings, water features, etc. The following budgets have been created for each type of coverage below:

Coverage Type	Landscape	Laundry	Pool	Other	
Description	Landscape	12PRBAW/M# MAH21F	POOL	Office/Rec	TOTALS
Units Served	264000	8	756	2	264,766
Budget/Month/Unit	0.0042	22	0.0249	14	
Daily Budget Total	36.45	5.79	0.62	0.92	43.8
Monthly Budget Total	1,108.80	176.00	18.82	28.00	1,331.6

The following calculations are based on the data collected from the physical meter readings and water bills:

Multiple Meters on Water Account:

Meter Number	Size
Meter A 1188D	1"
Meter B 636-C	1"
Meter C	

Daily Avg. Meter A	14.831
Daily Avg. Meter B	0.555
Daily Avg. Meter C	
Daily Avg Meter Total	15.386
Monthly Avg Meter Total	467.991

Projected vs. Actual Water Bill Analysis

	Projected		Most Recent	
Tier 1 @ \$1.77	468	\$828.36	497	\$879.69
Tier 2 @ \$1.77				
Tier 3 @				
Tier 4 @				
Tier 5 @				
WATER CONSUMPTION TOTALS	468	\$828.36	497	\$879.69
CUSTOMER CHARGES		\$99.97		\$99.97
SEWER				\$49.95
WATER CONSERV. SURCHARGE				\$20.00
SEWER PB CHARGE				\$0.68
TOTAL USAGE & CHARGES		\$928.33		\$1,050.29

PHYSICAL METER READINGS

METER A:

Date & Time	Meter Reading	Reading Source	Usage (hcf)	Usage (gallons)	Days in Cycle	Daily Average (hcf)	Hours in Cycle	Hourly Average (hcf)
11/1/2017 10:00 AM	5,528,246.0	RST	222.46	166,400.08	15	14.831	360	0.618
10/17/2017 10:00 AM	5,506,000.0	WB	213.88	159,982.24	13	16.452	311	0.688
10/4/2017 11:05 AM	5,484,612.0	RST	268.12	200,553.76	19	14.112	457	0.587
9/15/2017 10:00 AM	5,457,800.0	WB	135.50	101,354.00	10	13.550	240	0.565
9/5/2017 10:00 AM	5,444,250.0	RST	472.50	353,430.00	25	18.900	600	0.788
8/11/2017 10:00 AM	5,397,000.0	WB	161.94	121,131.12	9	17.993	217	0.746
8/2/2017 9:35 AM	5,380,806.0	RST	347.06	259,600.88	19	18.266	455	0.763
7/14/2017 10:00 AM	5,346,100.0	WB	192.11	143,698.28	11	17.465	266	0.722
7/3/2017 8:00 AM	5,326,889.0	RST	286.89	214,593.72	19	15.099	454	0.632
6/14/2017 10:00 AM	5,298,200.0	WB	112.49	84,142.52	13	8.653	313	0.359

This report was prepared by Advanced Environmental Landscape Design & Consulting, LLC. If you have any questions regarding this report please contact us

Water Meter Inspection and Evaluation

Report prepared by Advanced Environmental Landscape Design & Consulting, LLC

METER ID# 13

6/1/2017	9:35 AM	5,286,951.0	RST	209.51	156,713.48	20	10.476	479	0.437
5/12/2017	10:00 AM	5,266,000.0	WB	157.20	117,585.60	11	14.291	261	0.602
5/1/2017	1:33 PM	5,250,280.0	RST	166.80	124,766.40	18	9.267	435	0.383
4/13/2017	10:00 AM	5,233,600.0	WB	69.95	52,322.60	13	5.381	312	0.224
3/31/2017	10:35 AM	5,226,605.0	RST	120.05	89,797.40	16	7.503	384	0.313
3/15/2017	10:00 AM	5,214,600.0	WB	44.70	33,435.60	14	3.193	337	0.133
3/1/2017	9:35 AM	5,210,130.1	RST	91.30	68,292.40	19	4.805	455	0.201
2/10/2017	10:00 AM	5,201,000.0	WB	68.00	50,864.00	9	7.556	216	0.315
2/1/2017	10:20 AM	5,194,200.4	RST	5.02	3,754.96	34	0.148	817	0.006
12/29/2016	9:22 AM	5,193,698.0	RST	54.98	41,125.04	16	3.436	383	0.144
12/13/2016	10:00 AM	5,188,200.0	WB	38.33	28,670.84	12	3.194	285	0.134
12/1/2016	1:33 PM	5,184,367.0	RST	149.67	111,953.16	21	7.127	507	0.295
11/10/2016	10:00 AM	5,169,400.0	WB	47.11	35,238.28	9	5.234	218	0.216
11/1/2016	8:43 AM	5,164,689.0	RST	352.10	263,370.80	29	12.141	694	0.507
10/3/2016	10:15 AM	5,129,479.0	RST	336.79	251,918.92	19	17.726	456	0.739
9/14/2016	10:00 AM	5,095,800.0	WB	240.35	179,781.80	13	18.488	312	0.770
9/1/2016	10:00 AM	5,071,765.0	RST	349.65	261,538.20	20	17.483	480	0.728
8/12/2016	10:00 AM	5,036,800.0	WB	158.41	118,490.68	11	14.401	263	0.602
8/1/2016	11:34 AM	5,020,959.0	RST	245.59	183,701.32	18	13.644	433	0.567
7/14/2016	10:00 AM	4,996,400.0	WB	119.51	89,393.48	8	14.939	192	0.622
7/6/2016	10:06 AM	4,984,449.0	RST	212.49	158,942.52	23	9.239	552	0.385
6/13/2016	10:00 AM	4,963,200.0	WB	51.10	38,222.80	6	8.517	140	0.365
6/7/2016	2:25 PM	4,958,090.0	RST	231.90	173,461.20	26	8.919	628	0.369
5/12/2016	10:00 AM	4,934,900.0	WB	279.00	208,692.00	29	9.621	696	0.401
4/13/2016	10:00 AM	4,907,000.0	WB	80.79	60,430.92	12	6.733	288	0.281
4/1/2016	10:27 AM	4,898,920.6	RST	130.21	97,397.08	18	7.234	432	0.301
3/14/2016	10:00 AM	4,885,900.0	WB	81.89	61,253.72	13	6.299	311	0.263
3/1/2016	11:55 AM	4,877,711.0	RST	139.11	104,054.28	19	7.322	457	0.304
2/11/2016	10:00 AM	4,863,800.0	WB	25.79	19,290.92	10	2.579	239	0.108
2/1/2016	11:32 AM	4,861,221.0	RST	1.21	905.08	18	0.067	433	0.003
1/14/2016	10:00 AM	4,861,100.0	WB	89.41	66,878.68	29	3.083	697	0.128
12/16/2015	9:40 AM	4,852,159.0	RST	0.59	441.32	1	0.590	23	0.026
12/15/2015	10:00 AM	4,852,100.0	WB	281.77	210,763.96	33	8.538	791	0.356
11/12/2015	11:26 AM	4,823,923.0	RST	282.23	211,108.04	29	9.732	697	0.405
10/14/2015	10:00 AM	4,795,700.0	WB	298.00	222,904.00	29	10.276	696	0.428
9/15/2015	10:00 AM	4,765,900.0	WB	331.00	247,588.00	28	11.821	672	0.493
8/18/2015	10:00 AM	4,732,800.0	WB	150.39	112,491.72	12	12.533	287	0.524
8/6/2015	11:30 AM	4,717,760.6	WMT	80.90	60,513.20	7	11.557	171	0.473
7/30/2015	8:15 AM	4,709,670.5	WMT	13.30	9,948.40	1	13.300	24	0.554
7/29/2015	8:45 AM	4,708,340.9	WMT	235.41	176,086.68	13	18.108	310	0.759
7/16/2015	10:00 AM	4,684,800.0	WB	282.00	210,936.00	31	9.097	744	0.379
6/15/2015	10:00 AM	4,656,600.0	WB	0.00	0.00	N/A	N/A	N/A	N/A

This report was prepared by Advanced Environmental Landscape Design & Consulting, LLC. If you have any questions regarding this report please contact us

Water Meter Inspection and Evaluation

Report prepared by Advanced Environmental Landscape Design & Consulting, LLC

METER ID# 13

METER B:

Date & Time	Meter Reading	Reading Source	Usage (hcf)	Usage (gallons)	Days in Cycle	Daily Average (hcf)	Hours in Cycle	Hourly Average (hcf)
11/1/2017 10:00 AM	281,432.0	RST	8.32	6,223.36	15	0.555	360	0.023
10/17/2017 10:00 AM	280,600.0	WB	6.02	4,502.96	13	0.463	311	0.019
10/4/2017 11:05 AM	279,998.0	RST	8.98	6,717.04	19	0.473	457	0.020
9/15/2017 10:00 AM	279,100.0	WB	5.77	4,315.96	10	0.577	240	0.024
9/5/2017 10:00 AM	278,523.0	RST	13.23	9,896.04	25	0.529	600	0.022
8/11/2017 10:00 AM	277,200.0	WB	3.90	2,917.20	9	0.433	217	0.018
8/2/2017 9:35 AM	276,810.0	RST	12.10	9,050.80	19	0.637	455	0.027
7/14/2017 10:00 AM	275,600.0	WB	6.83	5,108.84	11	0.621	266	0.026
7/3/2017 8:00 AM	274,917.0	RST	15.17	11,347.16	19	0.798	454	0.033
6/14/2017 10:00 AM	273,400.0	WB	6.23	4,660.04	13	0.479	313	0.020
6/1/2017 9:37 AM	272,777.0	RST	12.77	9,551.96	20	0.639	479	0.027
5/12/2017 10:00 AM	271,500.0	WB	5.34	3,994.32	11	0.485	261	0.020
5/1/2017 1:33 PM	270,966.0	RST	9.66	7,225.68	18	0.537	435	0.022
4/13/2017 10:00 AM	270,000.0	WB	6.17	4,615.16	13	0.475	312	0.020
3/31/2017 10:40 AM	269,383.0	RST	7.83	5,856.84	16	0.489	384	0.020
3/15/2017 10:00 AM	268,600.0	WB	6.93	5,183.64	14	0.495	337	0.021
3/1/2017 9:32 AM	267,907.0	RST	8.07	6,036.36	19	0.425	455	0.018
2/10/2017 10:00 AM	267,100.0	WB	3.99	2,984.52	9	0.443	216	0.018
2/1/2017 10:24 AM	266,700.6	RST	8.01	5,991.48	19	0.422	456	0.018
1/13/2017 10:00 AM	265,900.0	WB	5.14	3,844.72	15	0.343	361	0.014
12/29/2016 9:22 AM	265,386.0	RST	6.86	5,131.28	16	0.429	383	0.018
12/13/2016 10:00 AM	264,700.0	WB	5.41	4,046.68	12	0.451	285	0.019
12/1/2016 1:35 PM	264,159.0	RST	8.59	6,425.32	21	0.409	507	0.017
11/10/2016 10:00 AM	263,300.0	WB	2.61	1,952.28	9	0.290	218	0.012
11/1/2016 8:45 AM	263,039.0	RST	10.04	7,509.92	29	0.346	694	0.014
10/3/2016 10:16 AM	262,035.0	RST	8.35	6,245.80	19	0.439	456	0.018
9/14/2016 10:00 AM	261,200.0	WB	5.13	3,837.24	13	0.395	312	0.016
9/1/2016 10:01 AM	260,687.0	RST	10.87	8,130.76	20	0.544	480	0.023
8/12/2016 10:00 AM	259,600.0	WB	6.35	4,749.80	11	0.577	263	0.024
8/1/2016 11:34 AM	258,965.0	RST	11.65	8,714.20	18	0.647	433	0.027
7/14/2016 10:00 AM	257,800.0	WB	4.81	3,597.88	8	0.601	192	0.025
7/6/2016 10:07 AM	257,319.0	RST	15.19	11,362.12	23	0.660	552	0.028
6/13/2016 10:00 AM	255,800.0	WB	2.00	1,496.00	6	0.333	140	0.014
6/7/2016 2:26 PM	255,600.0	RST	14.00	10,472.00	26	0.538	628	0.022
5/12/2016 10:00 AM	254,200.0	WB	40.00	29,920.00	29	1.379	696	0.057
4/13/2016 10:00 AM	250,200.0	WB	5.20	3,889.60	12	0.433	288	0.018
4/1/2016 10:28 AM	249,680.5	RST	9.81	7,337.88	18	0.545	432	0.023
3/14/2016 10:00 AM	248,700.0	WB	5.80	4,338.40	13	0.446	322	0.018
3/1/2016 12:01 AM	248,120.5	RST	9.21	6,889.08	19	0.485	446	0.021

This report was prepared by Advanced Environmental Landscape Design & Consulting, LLC. If you have any questions regarding this report please contact us

Water Meter Inspection and Evaluation

Report prepared by Advanced Environmental Landscape Design & Consulting, LL

METER ID# 14

Property Name	Mission Pointe		
Meter Number	C-836	Meter Type	Domestic
Account Number	0191022000	Meter Type	2"

REPORT DATED
11/6/2017

Backflow Details: Designated Backflow Size 2" Pressure Regulator?

DOMESTIC ANALYSIS

Each meter services different types of buildings, water features, etc. The following budgets have been created for each type of coverage below:

Coverage Type	Multi-Unit Building	Multi-Unit Building			
Description	Bldg 2721 (3 BDR)	Bldg 2721 (2 BDR)			TOTALS
Units Served	2	2			4
Budget/Month/Unit	20	14			
Daily Budget Total	1.32	0.92			2.2
Monthly Budget Total	40.00	28.00			68.0

The following calculations are based on the data collected from the physical meter readings and water bills:

		Projected vs. Actual Water Bill Analysis					
		Projected			Most Recent		
Physical Daily-Average	2.176	Tier 1 @	\$1.14	18	\$20.52	18	\$20.52
Physical Monthly-Average	66.19	Tier 2 @	\$1.83	23	\$42.09	20	\$36.60
		Tier 3 @	\$2.85	25	\$71.25	21	\$59.85
		Tier 4 @	\$0.00				
		Tier 5 @	\$0.00				
		WATER CONSUMPTION TOTALS		66	\$133.86	59	\$116.97
		CUSTOMER CHARGES			\$23.29		\$23.29
		SEWER					\$39.54
		WATER CONSERVATION SURCHARGE					\$2.05
		SEWER PB CHARGE					\$0.05
		TOTAL USAGE & CHARGES			\$157.15		\$181.90

PHYSICAL METER READINGS

Date & Time	Meter Reading	Reading Source	Usage (hcf)	Usage (gallons)	Days in Cycle	Daily Average (hcf)	Hours in Cycle	Hourly Average (hcf)
11/1/2017 10:00 AM	166,163.6	RST	32.64	24,414.72	15	2.176	359	0.091
10/17/2017 11:00 AM	162,900.0	WB	23.76	17,772.48	13	1.828	312	0.076
10/4/2017 11:10 AM	160,524.0	RST	32.24	24,115.52	19	1.697	457	0.071
9/15/2017 10:00 AM	157,300.0	WB	13.92	10,412.16	10	1.392	240	0.058
9/5/2017 10:00 AM	155,907.8	RST	34.08	25,491.84	25	1.363	600	0.057
8/11/2017 10:00 AM	152,500.0	WB	12.16	9,095.68	9	1.351	217	0.056
8/2/2017 9:40 AM	151,284.3	RST	28.84	21,572.32	19	1.518	455	0.063
7/14/2017 10:00 AM	148,400.0	WB	12.46	9,320.08	11	1.133	266	0.047
7/3/2017 8:00 AM	147,154.3	RST	22.54	16,859.92	19	1.186	454	0.050
6/14/2017 10:00 AM	144,900.0	WB	15.80	11,818.40	13	1.215	313	0.050

This report was prepared by Advanced Environmental Landscape Design & Consulting, LLC. If you have any questions regarding this report, please contact us at (909) 980-8300 or water@aelandscaped.com

Water Meter Inspection and Evaluation

Report prepared by Advanced Environmental Landscape Design & Consulting, LL

METER ID# 14

6/1/2017	9:39 AM	143,319.7	RST	30.20	22,589.60	20	1.510	479	0.063
5/12/2017	10:00 AM	140,300.0	WB	11.75	8,789.00	11	1.068	261	0.045
5/1/2017	1:35 PM	139,125.4	RST	20.25	15,147.00	18	1.125	435	0.047
4/13/2017	10:00 AM	137,100.0	WB	12.41	9,282.68	13	0.955	312	0.040
3/31/2017	10:42 AM	135,859.5	RST	18.60	13,912.80	16	1.163	384	0.048
3/15/2017	10:10 AM	134,000.0	WB	12.58	9,409.84	14	0.899	337	0.037
3/1/2017	9:40 AM	132,742.5	RST	19.43	14,533.64	19	1.023	455	0.043
2/10/2017	10:00 AM	130,800.0	WB	9.47	7,083.56	9	1.052	216	0.044
2/1/2017	10:26 AM	129,853.1	RST	19.53	14,608.44	19	1.028	456	0.043
1/13/2017	10:00 AM	127,900.0	WB	12.02	8,990.96	15	0.801	361	0.033
12/29/2016	9:26 AM	126,698.1	RST	13.98	10,457.04	16	0.874	383	0.037
12/13/2016	10:00 AM	125,300.0	WB	9.72	7,270.56	12	0.810	285	0.034
12/1/2016	1:36 PM	124,328.3	RST	20.28	15,169.44	21	0.966	507	0.040
11/10/2016	10:00 AM	122,300.0	WB	7.97	5,961.56	9	0.886	218	0.037
11/1/2016	8:47 AM	121,502.8	RST	13.03	9,746.44	18	0.724	430	0.030
10/14/2016	10:00 AM	120,200.0	WB	6.35	4,749.80	11	0.577	264	0.024
10/3/2016	10:20 AM	119,565.4	RST	15.65	11,706.20	19	0.824	456	0.034
9/14/2016	10:00 AM	118,000.0	WB	10.52	7,868.96	13	0.809	312	0.034
9/1/2016	10:03 AM	116,947.6	RST	18.48	13,823.04	20	0.924	480	0.039
8/12/2016	10:00 AM	115,100.0	WB	7.75	5,797.00	11	0.705	263	0.029
8/1/2016	11:36 AM	114,325.2	RST	16.25	12,155.00	18	0.903	433	0.038
7/14/2016	10:00 AM	112,700.0	WB	8.05	6,021.40	8	1.006	192	0.042
7/6/2016	10:09 AM	111,895.5	RST	22.96	17,174.08	23	0.998	552	0.042
6/13/2016	10:00 AM	109,600.0	WB	5.63	4,211.24	6	0.938	140	0.040
6/7/2016	2:28 PM	109,037.0	RST	31.37	23,464.76	26	1.207	628	0.050
5/12/2016	10:00 AM	105,900.0	WB	33.00	24,684.00	29	1.138	696	0.047
4/13/2016	10:00 AM	102,600.0	WB	12.10	9,050.80	12	1.008	288	0.042
4/1/2016	10:32 AM	101,390.0	RST	18.90	14,137.20	18	1.050	432	0.044
3/14/2016	10:00 AM	99,500.0	WB	10.41	7,786.68	13	0.801	310	0.034
3/1/2016	12:06 PM	98,458.9	RST	15.59	11,661.32	19	0.821	458	0.034
2/11/2016	10:00 AM	96,900.0	WB	8.19	6,126.12	10	0.819	239	0.034
2/1/2016	11:41 AM	96,080.6	RST	16.81	12,573.88	18	0.934	433	0.039
1/14/2016	10:00 AM	94,400.0	WB	0.87	650.76	2	0.435	47	0.019
1/12/2016	11:40 AM	94,313.1	RST	27.20	20,345.60	27	1.007	650	0.042
12/16/2015	9:53 AM	91,593.1	RST	0.93	695.64	1	0.930	23	0.040
12/15/2015	10:00 AM	91,500.0	WB	33.73	25,230.04	33	1.022	791	0.043
11/12/2015	11:35 AM	88,127.1	RST	32.27	24,137.96	29	1.113	697	0.046
10/14/2015	10:00 AM	84,900.0	WB	32.00	23,936.00	29	1.103	696	0.046
9/15/2015	10:00 AM	81,700.0	WB	27.00	20,196.00	28	0.964	672	0.040
8/18/2015	10:00 AM	79,000.0	WB	10.16	7,599.68	12	0.847	287	0.035
8/6/2015	11:35 AM	77,983.9	WMT	5.60	4,188.80	7	0.800	171	0.033
7/30/2015	8:25 AM	77,424.1	WMT	0.54	403.92	1	0.540	24	0.023
7/29/2015	8:50 AM	77,369.8	WMT	12.70	9,499.60	13	0.977	310	0.041
7/16/2015	10:00 AM	76,100.0	WB	30.00	22,440.00	31	0.968	744	0.040

*This report was prepared by Advanced Environmental Landscape Design & Consulting, LLC
If you have any questions regarding this report, please contact us at (909) 980-8300 or water@aelandscaped*

Water Meter Inspection and Evaluation

Report prepared by Advanced Environmental Landscape Design & Consulting, LL

METER ID# 15

Property Name	Mission Pointe		
Meter Number	474538	Meter Type	Domestic
Account Number	0191017000	Meter Type	2"

REPORT DATED
11/6/2017

Backflow Details: Designated Backflow Size _____ Pressure Regulator?

DOMESTIC ANALYSIS

Each meter services different types of buildings, water features, etc. The following budgets have been created for each type of coverage below:

Coverage Type	Multi-Unit Building	Multi-Unit Building			
Description	2681 (3 BDR)	2681 (2 BDR)			TOTALS
Units Served	2	2			4
Budget/Month/Unit	20	14			
Daily Budget Total	1.32	0.92			2.2
Monthly Budget Total	40.00	28.00			68.0

The following calculations are based on the data collected from the physical meter readings and water bills:

		Projected vs. Actual Water Bill Analysis					
		Projected			Most Recent		
Physical Daily-Average	0.591	Tier 1 @	\$1.14	15	\$17.10	15	\$17.10
Physical Monthly-Average	17.98	Tier 2 @	\$1.83	3	\$5.49	3	\$5.49
		Tier 3 @	\$2.26				
		Tier 4 @	\$2.75				
		Tier 5 @					
		WATER CONSUMPTION TOTALS		18	\$22.59	18	\$22.59
		CUSTOMER CHARGES			\$27.17		\$23.29
		WATER CONSERV. SURCHARGE					\$0.69
		ADJUSTMENT BY WMT					
		TOTAL USAGE & CHARGES			\$49.76		\$46.57

PHYSICAL METER READINGS

Date & Time	Meter Reading	Reading Source	Usage (hcf)	Usage (gallons)	Days in Cycle	Daily Average (hcf)	Hours in Cycle	Hourly Average (hcf)
11/1/2017 10:00 AM	138,487.2	RST	8.87	6,634.76	15	0.591	360	0.025
10/17/2017 10:00 AM	137,600.0	WB	7.96	5,954.08	13	0.612	311	0.026
10/4/2017 11:13 AM	136,804.1	RST	10.04	7,509.92	19	0.528	457	0.022
9/15/2017 10:00 AM	135,800.0	WB	3.36	2,513.28	10	0.336	240	0.014
9/5/2017 10:00 AM	135,464.4	RST	17.64	13,194.72	25	0.706	600	0.029
8/11/2017 10:00 AM	133,700.0	WB	5.34	3,994.32	9	0.593	217	0.025
8/2/2017 9:43 AM	133,166.4	RST	11.66	8,721.68	19	0.614	455	0.026
7/14/2017 10:00 AM	132,000.0	WB	5.93	4,435.64	11	0.539	266	0.022
7/3/2017 8:00 AM	131,407.3	RST	10.07	7,532.36	19	0.530	454	0.022
6/14/2017 10:00 AM	130,400.0	WB	5.92	4,428.16	13	0.455	313	0.019

This report was prepared by Advanced Environmental Landscape Design & Consulting, LLC. If you have any questions regarding this report, please contact us at (909) 980-8300 or water@aelandscaped.com

Water Meter Inspection and Evaluation

Report prepared by Advanced Environmental Landscape Design & Consulting, LL

METER ID# 15

6/1/2017	9:40 AM	129,807.9	RST	11.08	8,287.84	20	0.554	479	0.023
5/12/2017	10:00 AM	128,700.0	WB	3.39	2,535.72	11	0.308	261	0.013
5/1/2017	1:36 PM	128,360.8	RST	9.61	7,188.28	18	0.534	435	0.022
4/13/2017	10:00 AM	127,400.0	WB	5.80	4,338.40	13	0.446	312	0.019
3/31/2017	10:42 AM	126,819.6	RST	8.20	6,133.60	16	0.513	384	0.021
3/15/2017	10:00 AM	126,000.0	WB	6.33	4,734.84	14	0.452	337	0.019
3/1/2017	9:40 AM	125,366.8	RST	10.67	7,981.16	19	0.562	455	0.023
2/10/2017	10:00 AM	124,300.0	WB	4.73	3,538.04	9	0.526	216	0.022
2/1/2017	10:28 AM	123,827.4	RST	10.27	7,681.96	19	0.541	456	0.023
1/13/2017	10:00 AM	122,800.0	WB	8.32	6,223.36	15	0.555	361	0.023
12/29/2016	9:27 AM	121,968.0	RST	8.68	6,492.64	16	0.543	383	0.023
12/13/2016	10:00 AM	121,100.0	WB	6.26	4,682.48	12	0.522	285	0.022
12/1/2016	1:38 PM	120,473.6	RST	11.74	8,781.52	21	0.559	507	0.023
11/10/2016	10:00 AM	119,300.0	WB	4.02	3,006.96	9	0.447	218	0.018
11/1/2016	8:49 AM	118,898.4	RST	9.98	7,465.04	18	0.554	430	0.023
10/14/2016	10:00 AM	117,900.0	WB	6.01	4,495.48	11	0.546	264	0.023
10/3/2016	10:30 AM	117,299.2	RST	9.99	7,472.52	19	0.526	456	0.022
9/14/2016	10:00 AM	116,300.0	WB	5.32	3,979.36	13	0.409	312	0.017
9/1/2016	10:04 AM	115,767.9	RST	10.68	7,988.64	20	0.534	480	0.022
8/12/2016	10:00 AM	114,700.0	WB	5.35	4,001.80	11	0.486	263	0.020
8/1/2016	11:37 AM	114,164.9	RST	9.65	7,218.20	18	0.536	433	0.022
7/14/2016	10:00 AM	113,200.0	WB	3.70	2,767.60	8	0.463	192	0.019
7/6/2016	10:11 AM	112,829.8	RST	12.30	9,200.40	23	0.535	552	0.022
6/13/2016	10:00 AM	111,600.0	WB	2.56	1,914.88	6	0.427	140	0.018
6/7/2016	2:30 PM	111,344.0	RST	22.44	16,785.12	26	0.863	628	0.036
5/12/2016	10:00 AM	109,100.0	WB	49.00	36,652.00	29	1.690	696	0.070
4/13/2016	10:00 AM	104,200.0	WB	20.02	14,974.96	12	1.668	288	0.070
4/1/2016	10:37 AM	102,197.9	RST	31.98	23,921.04	18	1.777	432	0.074
3/14/2016	10:00 AM	99,000.0	WB	14.60	10,920.80	13	1.123	310	0.047
3/1/2016	12:12 PM	97,540.1	RST	20.40	15,259.20	19	1.074	458	0.045
2/11/2016	10:00 AM	95,500.0	WB	9.88	7,390.24	10	0.988	239	0.041
2/1/2016	11:45 AM	94,512.5	RST	17.13	12,813.24	18	0.952	433	0.040
1/14/2016	10:00 AM	92,800.0	WB	1.37	1,024.76	2	0.685	47	0.029
1/12/2016	11:45 AM	92,663.2	RST	30.23	22,612.04	27	1.120	649	0.047
12/16/2015	10:00 AM	89,640.2	RST	0.40	299.20	1	0.400	24	0.017
12/15/2015	10:00 AM	89,600.0	WB	34.50	25,806.00	33	1.045	791	0.044
11/12/2015	11:39 AM	86,150.0	RST	34.50	25,806.00	29	1.190	697	0.049
10/14/2015	10:00 AM	82,700.0	WB	30.00	22,440.00	29	1.034	696	0.043
9/15/2015	10:00 AM	79,700.0	WB	29.00	21,692.00	28	1.036	672	0.043
8/18/2015	10:00 AM	76,800.0	WB	14.23	10,644.04	12	1.186	287	0.050
8/6/2015	11:35 AM	75,376.9	WMT	6.96	5,206.08	7	0.994	171	0.041
7/30/2015	8:30 AM	74,680.5	WMT	0.96	718.08	1	0.960	24	0.040
7/29/2015	8:55 AM	74,584.8	WMT	15.85	11,855.80	13	1.219	310	0.051
7/16/2015	10:00 AM	73,000.0	WB	37.00	27,676.00	31	1.194	744	0.050

*This report was prepared by Advanced Environmental Landscape Design & Consulting, LLC
If you have any questions regarding this report, please contact us at (909) 980-8300 or water@aelandscaped*

Water Meter Inspection and Evaluation

Report prepared by Advanced Environmental Landscape Design & Consulting, LL

METER ID# 16

Property Name	Mission Pointe		
Meter Number	13205037	Meter Type	Domestic
Account Number	0191012000	Meter Type	2"

REPORT DATED
11/6/2017

Backflow Details: Designated Backflow Size _____ Pressure Regulator?

DOMESTIC ANALYSIS

Each meter services different types of buildings, water features, etc. The following budgets have been created for each type of coverage below:

Coverage Type	Multi-Unit Building	Multi-Unit Building			
Description	Bldg 2651 (3 BDR)	Bldg 2651 (2 BDR)			TOTALS
Units Served	2	2			4
Budget/Month/Unit	20	14			
Daily Budget Total	1.32	0.92			2.2
Monthly Budget Total	40.00	28.00			68.0

The following calculations are based on the data collected from the physical meter readings and water bills:

		Projected vs. Actual Water Bill Analysis					
		Projected			Most Recent		
Physical Daily-Average	0.924	Tier 1 @	\$1.14	15	\$17.10	15	\$17.10
Physical Monthly-Average	28.11	Tier 2 @	\$1.83	13	\$23.79	19	\$34.77
		Tier 3 @	\$2.26				
		Tier 4 @	\$2.75				
		Tier 5 @					
		WATER CONSUMPTION TOTALS		28	\$40.89	34	\$51.87
		CUSTOMER CHARGES			\$23.29		\$23.29
		WATER CONSERV. SURCHARGE					\$1.13
		TOTAL USAGE & CHARGES			\$64.18		\$76.29

PHYSICAL METER READINGS

Date & Time	Meter Reading	Reading Source	Usage (hcf)	Usage (gallons)	Days in Cycle	Daily Average (hcf)	Hours in Cycle	Hourly Average (hcf)
11/1/2017 10:00 AM	197,247.2	RST	18.47	13,815.56	20	0.924	480	0.038
10/12/2017 10:00 AM	195,400.0	WB	13.21	9,881.08	8	1.651	191	0.069
10/4/2017 11:15 AM	194,078.9	RST	20.79	15,550.92	19	1.094	457	0.045
9/15/2017 10:00 AM	192,000.0	WB	10.19	7,622.12	10	1.019	240	0.042
9/5/2017 10:00 AM	190,981.0	RST	28.81	21,549.88	25	1.152	600	0.048
8/11/2017 10:00 AM	188,100.0	WB	8.31	6,215.88	9	0.923	217	0.038
8/2/2017 9:45 AM	187,268.7	RST	18.69	13,980.12	19	0.984	455	0.041
7/14/2017 10:00 AM	185,400.0	WB	10.57	7,906.36	11	0.961	266	0.040
7/3/2017 8:00 AM	184,343.1	RST	14.43	10,793.64	19	0.759	454	0.032
6/14/2017 10:00 AM	182,900.0	WB	8.95	6,694.60	13	0.688	313	0.029

This report was prepared by Advanced Environmental Landscape Design & Consulting, LLC. If you have any questions regarding this report, please contact us at (909) 980-8300 or water@aelandscaped.com

Water Meter Inspection and Evaluation

Report prepared by Advanced Environmental Landscape Design & Consulting, LL

METER ID# 16

6/1/2017	9:42 AM	182,005.0	RST	16.05	12,005.40	20	0.803	479	0.034
5/12/2017	10:00 AM	180,400.0	WB	7.96	5,954.08	11	0.724	261	0.030
5/1/2017	1:38 PM	179,604.2	RST	13.04	9,753.92	18	0.724	435	0.030
4/13/2017	10:00 AM	178,300.0	WB	9.54	7,135.92	13	0.734	311	0.031
3/31/2017	11:00 AM	177,345.7	RST	14.46	10,816.08	16	0.904	385	0.038
3/15/2017	10:00 AM	175,900.0	WB	9.90	7,405.20	14	0.707	337	0.029
3/1/2017	9:50 AM	174,910.2	RST	15.10	11,294.80	19	0.795	455	0.033
2/10/2017	10:00 AM	173,400.0	WB	6.70	5,011.60	9	0.744	216	0.031
2/1/2017	10:30 AM	172,730.4	RST	32.30	24,160.40	19	1.700	456	0.071
1/13/2017	10:00 AM	169,500.0	WB	34.95	26,142.60	15	2.330	361	0.097
12/29/2016	9:29 AM	166,004.9	RST	39.05	29,209.40	16	2.441	383	0.102
12/13/2016	10:00 AM	162,100.0	WB	39.79	29,762.92	12	3.316	285	0.140
12/1/2016	1:40 PM	158,121.5	RST	43.22	32,328.56	21	2.058	507	0.085
11/10/2016	10:00 AM	153,800.0	WB	14.22	10,636.56	9	1.580	218	0.065
11/1/2016	8:51 AM	152,377.8	RST	29.78	22,275.44	18	1.654	430	0.069
10/14/2016	10:00 AM	149,400.0	WB	17.18	12,850.64	11	1.562	264	0.065
10/3/2016	10:40 AM	147,681.7	RST	30.82	23,053.36	19	1.622	456	0.068
9/14/2016	10:00 AM	144,600.0	WB	19.14	14,316.72	13	1.472	312	0.061
9/1/2016	10:06 AM	142,685.7	RST	28.86	21,587.28	20	1.443	480	0.060
8/12/2016	10:00 AM	139,800.0	WB	16.49	12,334.52	11	1.499	263	0.063
8/1/2016	11:38 AM	138,151.1	RST	27.51	20,577.48	18	1.528	433	0.064
7/14/2016	10:00 AM	135,400.0	WB	10.32	7,719.36	8	1.290	192	0.054
7/6/2016	10:12 AM	134,367.6	RST	34.68	25,940.64	23	1.508	552	0.063
6/13/2016	10:00 AM	130,900.0	WB	8.07	6,036.36	6	1.345	140	0.058
6/7/2016	2:32 PM	130,093.5	RST	55.94	41,843.12	26	2.152	628	0.089
5/12/2016	10:00 AM	124,500.0	WB	45.00	33,660.00	29	1.552	696	0.065
4/13/2016	10:00 AM	120,000.0	WB	16.40	12,267.20	12	1.367	288	0.057
4/1/2016	10:42 AM	118,359.9	RST	29.60	22,140.80	18	1.644	432	0.069
3/14/2016	10:00 AM	115,400.0	WB	17.94	13,419.12	13	1.380	310	0.058
3/1/2016	12:18 PM	113,606.3	RST	30.06	22,484.88	19	1.582	458	0.066
2/11/2016	10:00 AM	110,600.0	WB	13.24	9,903.52	10	1.324	239	0.055
2/1/2016	11:50 AM	109,276.4	RST	26.76	20,016.48	18	1.487	433	0.062
1/14/2016	10:00 AM	106,600.0	WB	2.79	2,086.92	2	1.395	47	0.059
1/12/2016	11:50 AM	106,320.8	RST	45.48	34,019.04	27	1.684	649	0.070
12/16/2015	10:07 AM	101,773.1	RST	0.73	546.04	1	0.730	24	0.030
12/15/2015	10:00 AM	101,700.0	WB	57.46	42,980.08	33	1.741	791	0.073
11/12/2015	11:44 AM	95,954.2	RST	54.54	40,795.92	29	1.881	697	0.078
10/14/2015	10:00 AM	90,500.0	WB	40.00	29,920.00	29	1.379	696	0.057
9/15/2015	10:00 AM	86,500.0	WB	35.00	26,180.00	28	1.250	672	0.052
8/18/2015	10:00 AM	83,000.0	WB	15.04	11,249.92	12	1.253	287	0.052
8/6/2015	11:40 AM	81,496.3	WMT	6.71	5,019.08	7	0.959	171	0.039
7/30/2015	8:35 AM	80,825.1	WMT	0.81	605.88	1	0.810	24	0.034
7/29/2015	8:55 AM	80,744.0	WMT	14.44	10,801.12	13	1.111	310	0.047
7/16/2015	10:00 AM	79,300.0	WB	33.00	24,684.00	31	1.065	744	0.044

*This report was prepared by Advanced Environmental Landscape Design & Consulting, LLC
If you have any questions regarding this report, please contact us at (909) 980-8300 or water@aelandscaped*

Water Meter Inspection and Evaluation

Report prepared by Advanced Environmental Landscape Design & Consulting, LL

METER ID# 17

Property Name	Mission Pointe		
Meter Number	13205040	Meter Type	Domestic
Account Number	0191007000	Meter Type	2"

REPORT DATED
11/6/2017

Backflow Details: Designated Backflow Size _____ Pressure Regulator?

DOMESTIC ANALYSIS

Each meter services different types of buildings, water features, etc. The following budgets have been created for each type of coverage below:

Coverage Type	Multi-Unit Building				
Description	Bldg 2621 (2 BDR)				TOTALS
Units Served	4				4
Budget/Month/Unit	14				
Daily Budget Total	1.84				1.8
Monthly Budget Total	56.00				56.0

The following calculations are based on the data collected from the physical meter readings and water bills:

		Projected vs. Actual Water Bill Analysis					
		Projected			Most Recent		
Physical Daily-Average	0.259	Tier 1 @	\$1.14	8	\$9.12	7	\$7.98
Physical Monthly-Average	7.88	Tier 2 @	\$1.83				
		Tier 3 @	\$2.26				
		Tier 4 @	\$2.75				
		Tier 5 @					
		WATER CONSUMPTION TOTALS		8	\$9.12	7	\$7.98
		CUSTOMER CHARGES			\$23.29		\$23.29
		WATER CONSERV. SURCHARGE					\$0.47
		TOTAL USAGE & CHARGES			\$32.41		\$31.74

PHYSICAL METER READINGS

Date & Time	Meter Reading	Reading Source	Usage (hcf)	Usage (gallons)	Days in Cycle	Daily Average (hcf)	Hours in Cycle	Hourly Average (hcf)
10/12/2017 10:00 AM	3,500.0	WB	7.00	5,236.00	27	0.259	648	0.011
9/15/2017 10:00 AM	2,800.0	WB	10.00	7,480.00	35	0.286	840	0.012
8/11/2017 10:00 AM	1,800.0	WB	8.00	5,984.00	28	0.286	672	0.012
7/14/2017 10:00 AM	1,000.0	WB	0.00	0.00	N/A	N/A	N/A	N/A
7/14/2017 9:59 AM	0.0	WB	-758.00	-566,984.00	30	-25.267	719	-1.054
6/14/2017 10:00 AM	75,800.0	WB	7.00	5,236.00	33	0.212	792	0.009
5/12/2017 10:00 AM	75,100.0	WB	7.00	5,236.00	29	0.241	696	0.010
4/13/2017 10:00 AM	74,400.0	WB	7.00	5,236.00	29	0.241	696	0.010
3/15/2017 10:00 AM	73,700.0	WB	8.00	5,984.00	33	0.242	792	0.010
2/10/2017 10:00 AM	72,900.0	WB	10.00	7,480.00	28	0.357	672	0.015

This report was prepared by Advanced Environmental Landscape Design & Consulting, LLC. If you have any questions regarding this report, please contact us at (909) 980-8300 or water@aelandscaped.com

Water Meter Inspection and Evaluation

METER ID# 17

Report prepared by Advanced Environmental Landscape Design & Consulting, LL

1/13/2017	10:00 AM	71,900.0	WB	7.00	5,236.00	31	0.226	744	0.009
12/13/2016	10:00 AM	71,200.0	WB	10.00	7,480.00	33	0.303	792	0.013
11/10/2016	10:00 AM	70,200.0	WB	7.00	5,236.00	27	0.259	648	0.011
10/14/2016	10:00 AM	69,500.0	WB	10.00	7,480.00	30	0.333	720	0.014
9/14/2016	10:00 AM	68,500.0	WB	15.00	11,220.00	33	0.455	792	0.019
8/12/2016	10:00 AM	67,000.0	WB	5.00	3,740.00	11	0.455	263	0.019
8/1/2016	11:39 AM	66,500.3	RST	8.00	5,984.00	18	0.444	433	0.018
7/14/2016	10:00 AM	65,700.0	WB	2.92	2,184.16	8	0.365	192	0.015
7/6/2016	10:00 AM	65,408.5	RST	10.09	7,547.32	23	0.439	552	0.018
6/13/2016	10:00 AM	64,400.0	WB	2.26	1,690.48	6	0.377	140	0.016
6/7/2016	2:34 PM	64,174.5	RST	11.75	8,789.00	26	0.452	628	0.019
5/12/2016	10:00 AM	63,000.0	WB	13.00	9,724.00	29	0.448	696	0.019
4/13/2016	10:00 AM	61,700.0	WB	5.84	4,368.32	12	0.487	288	0.020
4/1/2016	10:49 AM	61,116.5	RST	10.17	7,607.16	18	0.565	432	0.024
3/14/2016	10:00 AM	60,100.0	WB	5.95	4,450.60	13	0.458	322	0.018
3/1/2016	12:30 AM	59,505.1	RST	10.05	7,517.40	19	0.529	446	0.023
2/11/2016	10:00 AM	58,500.0	WB	13.80	10,322.40	10	1.380	239	0.058
2/1/2016	11:56 AM	57,120.0	RST	19.20	14,361.60	18	1.067	433	0.044
1/14/2016	10:00 AM	55,200.0	WB	1.49	1,114.52	2	0.745	47	0.032
1/12/2016	11:55 AM	55,051.0	RST	19.49	14,578.52	27	0.722	649	0.030
12/16/2015	10:16 AM	53,102.0	RST	1.02	762.96	1	1.020	24	0.043
12/15/2015	10:00 AM	53,000.0	WB	18.38	13,748.24	33	0.557	791	0.023
11/12/2015	11:48 AM	51,162.1	RST	21.62	16,171.76	29	0.746	697	0.031
10/14/2015	10:00 AM	49,000.0	WB	18.00	13,464.00	29	0.621	696	0.026
9/15/2015	10:00 AM	47,200.0	WB	9.00	6,732.00	28	0.321	672	0.013
8/18/2015	10:00 AM	46,300.0	WB	19.83	14,832.84	12	1.653	287	0.069
8/6/2015	11:40 AM	44,316.7	WMT	3.37	2,520.76	7	0.481	171	0.020
7/30/2015	8:35 AM	43,980.2	WMT	0.54	403.92	1	0.540	23	0.023
7/29/2015	9:00 AM	43,926.3	WMT	9.26	6,926.48	13	0.712	311	0.030
7/16/2015	10:00 AM	43,000.0	WB	22.00	16,456.00	31	0.710	744	0.030
6/15/2015	10:00 AM	40,800.0	WB	0.00	0.00	N/A	N/A	N/A	N/A

METER EVALUATION NOTES:

See Findings and Recommendations Report for specific meter notes.

*This report was prepared by Advanced Environmental Landscape Design & Consulting, LLC
If you have any questions regarding this report, please contact us at (909) 980-8300 or water@aelandscaped*