



Advanced Environmental Landscape
Design & Consulting, LLC

CSLB C-27 Lic#708716
PO Box 8296, Alta Loma, CA 91737
Phone: 909.980.8300 Fax: 909.941.6876
www.aelandscapedesign.com

WATER MANAGEMENT **WATER ANALYSIS & RECOMMENDATIONS**

Property Name: Promenade
Report Dated: 11/10/2017

HIGH PRIORITY RECOMMENDATIONS

High Priority Recommendations & Preventative Maintenance

WEBSITE LOGIN INFORMATION

Visit www.aelandscapedesign.com/nationalcore

Enter Password- watercore

1. Great Job, you have taken care of all your recommendations. There are no recommendations at this time, thank you!

WATER USAGE ANALYSIS SUMMARY

(See individual meter reports for more detailed information)

DOMESTIC

Mixed Meter# 2: Daily Average and Projected Monthly Average are both below budget.

LANDSCAPE

Landscape System:

Irrigation Map: Irrigation Site Map available online.

Weather Based Irrigation Controllers: Hunter I-Cores W/Solar Sync, installed 7/13/15.

Precision Nozzles: No Precision Nozzles are installed at this time. The Water District does not offer rebates.

Turf Removal: Recommend – 30% turf removal. The Water District does not offer rebates.

Azusa Light & Water Watering Restrictions are: Please check our website for your district's current restrictions.

Controller in Compliance: Controller is not currently, please see notes below in landscape usage.

Landscape Usage:

Meter# 1: Daily Average and Projected Monthly Average are both below budget.

Pressure Testing: Building does have a pressure regulator. Pressure reading is 65 PSI average pressure, no concerns.

“Save Water Today, So We Have Water Tomorrow”

Meter Summary Coversheet

Property Name Promenade

Meter ID	Account Number	Meter Number(s)	Meter Type
1	303-0245-300	17559126	Landscape
2	303-0244-300	98974780 98974782 98974783	Domestic
3	303-0243-300	1801	Fire Service

Water Meter Inspection and Evaluation

Report prepared by Advanced Environmental Landscape Design & Consulting, LLC

METER ID# 1

Property Name	Promenade		
Meter Number	17559126	Meter Type	Landscape
Account Number	303-0245-300	Meter Type	2"

REPORT DATED
11/10/2017

Backflow Details: Designated Backflow Size 2" Pressure Regulator?

LANDSCAPE ANALYSIS

The following calculations are based on the data collected from the physical meter readings and water bills:

	MAWA Analysis
Current ETo (Monthly)	7.21
Monthly Budget	145.51

Allocated S/F (Landscape) 34,783

WBIC (Weather Based Irrigation Controller)

WBIC-MAKE/MODEL HUNTER I-CORE W/SOLAR SYNC

PRECISION NOZZLES

DROUGHT TOLERANT LANDSCAPE

Projected vs. Actual Water Bill Analysis

		Projected		Most Recent	
Tier 1 @	\$1.07	23	\$24.63		
Tier 2 @	\$1.75	57	\$99.64		
Tier 3 @	\$2.21	63	\$138.98		
Tier 4 @					
Tier 5 @					
WATER CONSUMPTION TOTALS		143	\$263.25	0	\$0.00
Customer Charge			\$74.20		
R.W.C.A.F FEE					
TOTAL USAGE & CHARGES			\$337.45		\$0.00

PHYSICAL METER READINGS

Date & Time	Meter Reading	Reading Source	Usage (hcf)	Usage (gallons)	Days in Cycle	Daily Average (hcf)	Hours in Cycle	Hourly Average (hcf)
11/1/2017 3:21 PM	3,504,030.0	RST	142.90	106,889.20	30	4.763	722	0.198
10/2/2017 1:48 PM	3,489,740.0	RST	198.00	148,104.00	31	6.387	744	0.266
9/1/2017 1:06 PM	3,469,940.0	RST	82.40	61,635.20	10	8.240	243	0.339
8/22/2017 10:00 AM	3,461,700.0	WB	187.50	140,250.00	21	8.929	500	0.375
8/1/2017 2:27 PM	3,442,950.0	RST	103.50	77,418.00	12	8.625	292	0.354
7/20/2017 10:00 AM	3,432,600.0	WB	91.50	68,442.00	17	5.382	407	0.225
7/3/2017 11:44 AM	3,423,450.0	RST	114.70	85,795.60	34	3.374	814	0.141
5/30/2017 1:17 PM	3,411,980.0	RST	32.80	24,534.40	12	2.733	291	0.113
5/18/2017 10:00 AM	3,408,700.0	WB	39.10	29,246.80	17	2.300	409	0.096
5/1/2017 9:30 AM	3,404,790.0	RST	26.90	20,121.20	12	2.242	287	0.094
4/19/2017 10:00 AM	3,402,100.0	WB	35.30	26,404.40	14	2.521	335	0.105

This report was prepared by Advanced Environmental Landscape. If you have any questions regarding this report please contact us at (909) 980-8300 or water@a landscapedesign.com

Water Meter Inspection and Evaluation

Report prepared by Advanced Environmental Landscape Design & Consulting, LLC

METER ID# 1

4/5/2017	11:30 AM	3,398,570.0	RST	5.00	3,740.00	2	2.500	48	0.104
4/3/2017	11:05 AM	3,398,070.0	RST	72.50	54,230.00	32	2.266	769	0.094
3/2/2017	10:53 AM	3,390,820.0	RST	51.50	38,522.00	28	1.839	674	0.076
2/2/2017	8:58 AM	3,385,670.0	RST	48.70	36,427.60	30	1.623	712	0.068
1/3/2017	4:30 PM	3,380,800.0	RST	18.00	13,464.00	13	1.385	318	0.057
12/21/2016	10:00 AM	3,379,000.0	WB	43.40	32,463.20	20	2.170	476	0.091
12/1/2016	2:59 PM	3,374,660.0	RST	11.60	8,676.80	8	1.450	196	0.059
11/23/2016	10:00 AM	3,373,500.0	WB	102.10	76,370.80	22	4.641	528	0.193
11/1/2016	10:26 AM	3,363,290.0	RST	66.90	50,041.20	12	5.575	288	0.232
10/20/2016	10:00 AM	3,356,600.0	WB	99.10	74,126.80	17	5.829	403	0.246
10/3/2016	3:32 PM	3,346,690.0	RST	69.90	52,285.20	11	6.355	269	0.260
9/22/2016	10:00 AM	3,339,700.0	WB	131.10	98,062.80	21	6.243	501	0.262
9/1/2016	1:33 PM	3,326,590.0	RST	56.90	42,561.20	9	6.322	219	0.260
8/23/2016	10:00 AM	3,320,900.0	WB	132.50	99,110.00	22	6.023	529	0.250
8/1/2016	9:45 AM	3,307,650.0	RST	64.50	48,246.00	11	5.864	263	0.245
7/21/2016	10:00 AM	3,301,200.0	WB	109.70	82,055.60	20	5.485	477	0.230
7/1/2016	1:00 PM	3,290,230.0	RST	82.30	61,560.40	15	5.487	363	0.227
6/16/2016	10:00 AM	3,282,000.0	WB	71.10	53,182.80	15	4.740	361	0.197
6/1/2016	9:22 AM	3,274,890.0	RST	73.90	55,277.20	16	4.619	383	0.193
5/16/2016	10:00 AM	3,267,500.0	WB	51.20	38,297.60	13	3.938	309	0.166
5/3/2016	1:07 PM	3,262,380.0	RST	52.80	39,494.40	13	4.062	315	0.168
4/20/2016	10:00 AM	3,257,100.0	WB	76.50	57,222.00	19	4.026	455	0.168
4/1/2016	11:04 AM	3,249,450.0	RST	31.50	23,562.00	16	1.969	385	0.082
3/16/2016	10:00 AM	3,246,300.0	WB	32.70	24,459.60	15	2.180	359	0.091
3/1/2016	11:00 AM	3,243,030.0	RST	29.30	21,916.40	14	2.093	337	0.087
2/16/2016	10:00 AM	3,240,100.0	WB	23.40	17,503.20	15	1.560	361	0.065
2/1/2016	9:52 AM	3,237,760.0	RST	13.60	10,172.80	13	1.046	311	0.044
1/19/2016	10:00 AM	3,236,400.0	WB	21.00	15,708.00	15	1.400	357	0.059
1/4/2016	1:00 PM	3,234,300.0	RST	11.00	8,228.00	12	0.917	291	0.038
12/23/2015	10:00 AM	3,233,200.0	WB	70.00	52,360.00	34	2.059	816	0.086
11/19/2015	10:00 AM	3,226,200.0	WB	11.00	8,228.00	2	5.500	45	0.244
11/17/2015	1:30 PM	3,225,100.0	WMT	112.00	83,776.00	27	4.148	651	0.172
10/21/2015	10:00 AM	3,213,900.0	WB	174.00	130,152.00	34	5.118	816	0.213
9/17/2015	10:00 AM	3,196,500.0	WB	167.00	124,916.00	29	5.759	696	0.240
8/19/2015	10:00 AM	3,179,800.0	WB	6.89	5,153.72	1	6.890	20	0.345
8/18/2015	2:15 PM	3,179,110.6	WMT	26.20	19,597.60	6	4.367	147	0.178
8/12/2015	11:25 AM	3,176,490.2	WMT	6.89	5,153.72	1	6.890	20	0.345
8/11/2015	3:00 PM	3,175,800.9	WMT	107.01	80,043.48	20	5.351	485	0.221
7/22/2015	10:00 AM	3,165,100.0	WB	251.00	187,748.00	35	7.171	840	0.299
6/17/2015	10:00 AM	3,140,000.0	WB	170.00	127,160.00	28	6.071	672	0.253
5/20/2015	10:00 AM	3,123,000.0	WB	131.00	97,988.00	29	4.517	696	0.188
4/21/2015	10:00 AM	3,109,900.0	WB	249.00	186,252.00	35	7.114	840	0.296
3/17/2015	10:00 AM	3,085,000.0	WB	0.00	0.00	N/A	N/A	N/A	N/A

This report was prepared by Advanced Environmental Landscape. If you have any questions regarding this report please contact us at (909) 980-8300 or water@a landscapedesign.com

Water Meter Inspection and Evaluation

Report prepared by Advanced Environmental Landscape Design & Consulting, LLC

METER ID# 2

Property Name	Promenade		
Meter Number	98974780	Meter Type	Domestic
Account Number	303-0244-300	Meter Type	2"

REPORT DATED
11/10/2017

Backflow Details: Designated Backflow Size Pressure Regulator?

DOMESTIC ANALYSIS

Each meter services different types of buildings, water features, etc. The following budgets have been created for each type of coverage below:

Coverage Type	Multi-Unit Building (1 BDR-STD)	Multi-Unit Building (2 BDR)	Laundry MAT12PDBAW	Pool & Spa Pool/Spa	TOTALS
Description					
Units Served	123	1	18	740	882
Budget/Month/Unit	9	14	15.4	0.0249	
Daily Budget Total	36.39	0.46	9.11	0.61	46.6
Monthly Budget Total	1,107.00	14.00	277.20	18.43	1,416.6

The following calculations are based on the data collected from the physical meter readings and water bills:

Multiple Meters on Water Account:

Projected vs. Actual Water Bill Analysis

Meter Number	Size	Projected			Most Recent		
Meter A 98974780	2"	Tier 1 @ \$1.07	73	\$78.18	73	\$78.18	
Meter B 98974782	2"	Tier 2 @ \$1.75	176	\$307.65	176	\$307.65	
Meter C 98974783	2"	Tier 3 @ \$2.21	78	\$172.07	71	\$156.63	
		Tier 4 @					
		Tier 5 @					
Daily Avg. Meter A	3.227	WATER CONSUMPTION TOTALS		327	\$557.90	320	\$542.46
Daily Avg. Meter B	4.650	Customer Charges 4"			\$234.75		\$234.75
Daily Avg. Meter C	2.870	R.W.C.A.F FEE					\$29.98
Daily Avg Meter Total	10.747						
Monthly Avg Meter Total	326.888						
		TOTAL USAGE & CHARGES			\$792.65		\$807.19

PHYSICAL METER READINGS

METER A:

Date & Time	Meter Reading	Reading Source	Usage (hcf)	Usage (gallons)	Days in Cycle	Daily Average (hcf)	Hours in Cycle	Hourly Average (hcf)
11/1/2017 3:24 PM	3,449,410.0	RST	96.80	72,406.40	30	3.227	722	0.134
10/2/2017 1:51 PM	3,439,730.0	RST	92.80	69,414.40	31	2.994	746	0.124
9/1/2017 11:11 AM	3,430,450.0	RST	27.20	20,345.60	31	0.877	741	0.037
8/1/2017 2:30 PM	3,427,730.0	RST	5.30	3,964.40	12	0.442	292	0.018
7/20/2017 10:00 AM	3,427,200.0	WB	132.80	99,334.40	17	7.812	407	0.326
7/3/2017 11:47 AM	3,413,920.0	RST	92.60	69,264.80	32	2.894	766	0.121
6/1/2017 1:30 PM	3,404,660.0	RST	37.60	28,124.80	14	2.686	339	0.111
5/18/2017 10:00 AM	3,400,900.0	WB	56.20	42,037.60	17	3.306	409	0.137
5/1/2017 9:33 AM	3,395,280.0	RST	50.80	37,998.40	12	4.233	287	0.177
4/19/2017 10:00 AM	3,390,200.0	WB	-5.70	-4,263.60	14	-0.407	338	-0.017

This report was prepared by Advanced Environmental Landscape Design & Consulting, LLC. If you have any questions regarding this report please contact us

Water Meter Inspection and Evaluation

Report prepared by Advanced Environmental Landscape Design & Consulting, LLC

METER ID# 2

4/5/2017	8:30 AM	3,390,770.0	RST	4.40	3,291.20	2	2.200	45	0.098
4/3/2017	11:05 AM	3,390,330.0	RST	285.10	213,254.80	32	8.909	769	0.371
3/2/2017	10:57 AM	3,361,820.0	RST	50.00	37,400.00	28	1.786	673	0.074
2/2/2017	9:00 AM	3,356,820.0	RST	110.20	82,429.60	30	3.673	713	0.155
1/3/2017	4:30 PM	3,345,800.0	RST	33.00	24,684.00	13	2.538	318	0.104
12/21/2016	10:00 AM	3,342,500.0	WB	55.80	41,738.40	20	2.790	476	0.117
12/1/2016	2:59 PM	3,336,920.0	RST	25.20	18,849.60	8	3.150	196	0.129
11/23/2016	10:00 AM	3,334,400.0	WB	83.90	62,757.20	22	3.814	528	0.159
11/1/2016	10:32 AM	3,326,010.0	RST	48.10	35,978.80	12	4.008	288	0.167
10/20/2016	10:00 AM	3,321,200.0	WB	67.60	50,564.80	17	3.976	403	0.168
10/3/2016	3:35 PM	3,314,440.0	RST	44.40	33,211.20	11	4.036	269	0.165
9/22/2016	10:00 AM	3,310,000.0	WB	82.40	61,635.20	21	3.924	501	0.164
9/1/2016	1:37 PM	3,301,760.0	RST	36.60	27,376.80	9	4.067	219	0.167
8/23/2016	10:00 AM	3,298,100.0	WB	87.60	65,524.80	22	3.982	529	0.166
8/1/2016	9:50 AM	3,289,340.0	RST	42.40	31,715.20	11	3.855	263	0.161
7/21/2016	10:00 AM	3,285,100.0	WB	78.70	58,867.60	20	3.935	477	0.165
7/1/2016	1:06 PM	3,277,230.0	RST	62.30	46,600.40	15	4.153	363	0.172
6/16/2016	10:00 AM	3,271,000.0	WB	58.90	44,057.20	15	3.927	361	0.163
6/1/2016	9:27 AM	3,265,110.0	RST	63.10	47,198.80	16	3.944	383	0.165
5/16/2016	10:00 AM	3,258,800.0	WB	51.60	38,596.80	13	3.969	309	0.167
5/3/2016	1:11 PM	3,253,640.0	RST	54.40	40,691.20	13	4.185	315	0.173
4/20/2016	10:00 AM	3,248,200.0	WB	84.50	63,206.00	19	4.447	455	0.186
4/1/2016	11:07 AM	3,239,750.0	RST	73.50	54,978.00	16	4.594	385	0.191
3/16/2016	10:00 AM	3,232,400.0	WB	86.90	65,001.20	16	5.431	383	0.227
2/29/2016	11:00 AM	3,223,710.0	RST	66.10	49,442.80	13	5.085	313	0.211
2/16/2016	10:00 AM	3,217,100.0	WB	68.90	51,537.20	15	4.593	361	0.191
2/1/2016	9:58 AM	3,210,210.0	RST	60.10	44,954.80	13	4.623	311	0.193
1/19/2016	10:00 AM	3,204,200.0	WB	59.70	44,655.60	15	3.980	357	0.167
1/4/2016	1:05 PM	3,198,230.0	RST	46.30	34,632.40	12	3.858	291	0.159
12/23/2015	10:00 AM	3,193,600.0	WB	135.00	100,980.00	34	3.971	816	0.165
11/19/2015	10:00 AM	3,180,100.0	WB	7.00	5,236.00	2	3.500	45	0.156
11/17/2015	1:30 PM	3,179,400.0	WMT	112.00	83,776.00	27	4.148	651	0.172
10/21/2015	10:00 AM	3,168,200.0	WB	140.00	104,720.00	34	4.118	816	0.172
9/17/2015	10:00 AM	3,154,200.0	WB	141.00	105,468.00	29	4.862	696	0.203
8/19/2015	10:00 AM	3,140,100.0	WB	4.80	3,590.40	1	4.800	20	0.240
8/18/2015	2:30 PM	3,139,620.3	WMT	31.90	23,861.20	6	5.317	147	0.217
8/12/2015	11:40 AM	3,136,430.3	WMT	4.60	3,440.80	1	4.600	20	0.230
8/11/2015	3:15 PM	3,135,970.8	WMT	107.71	80,567.08	20	5.386	485	0.222
7/22/2015	10:00 AM	3,125,200.0	WB	184.00	137,632.00	35	5.257	840	0.219
6/17/2015	10:00 AM	3,106,800.0	WB	142.00	106,216.00	28	5.071	672	0.211
5/20/2015	10:00 AM	3,092,600.0	WB	143.00	106,964.00	29	4.931	696	0.205
4/21/2015	10:00 AM	3,078,300.0	WB	178.00	133,144.00	35	5.086	840	0.212
3/17/2015	10:00 AM	3,060,500.0	WB	0.00	0.00	N/A	N/A	N/A	N/A

This report was prepared by Advanced Environmental Landscape Design & Consulting, LLC. If you have any questions regarding this report please contact us

Water Meter Inspection and Evaluation

Report prepared by Advanced Environmental Landscape Design & Consulting, LLC

METER ID# 2

METER B:

Date & Time	Meter Reading	Reading Source	Usage (hcf)	Usage (gallons)	Days in Cycle	Daily Average (hcf)	Hours in Cycle	Hourly Average (hcf)
11/1/2017 3:25 PM	3,445,900.0	RST	139.50	104,346.00	30	4.650	722	0.193
10/2/2017 1:51 PM	3,431,950.0	RST	133.00	99,484.00	31	4.290	746	0.178
9/1/2017 11:11 AM	3,418,650.0	RST	46.50	34,782.00	10	4.650	241	0.193
8/22/2017 10:00 AM	3,414,000.0	WB	85.20	63,729.60	21	4.057	500	0.170
8/1/2017 2:30 PM	3,405,480.0	RST	118.90	88,937.20	29	4.100	699	0.170
7/3/2017 11:46 AM	3,393,590.0	RST	135.80	101,578.40	32	4.244	766	0.177
6/1/2017 1:30 PM	3,380,010.0	RST	48.10	35,978.80	14	3.436	339	0.142
5/18/2017 10:00 AM	3,375,200.0	WB	62.60	46,824.80	17	3.682	409	0.153
5/1/2017 9:34 AM	3,368,940.0	RST	43.40	32,463.20	12	3.617	287	0.151
4/19/2017 10:00 AM	3,364,600.0	WB	46.80	35,006.40	14	3.343	338	0.138
4/5/2017 8:00 AM	3,359,920.0	RST	6.80	5,086.40	2	3.400	45	0.151
4/3/2017 11:05 AM	3,359,240.0	RST	129.40	96,791.20	32	4.044	769	0.168
3/2/2017 10:54 AM	3,346,300.0	RST	106.80	79,886.40	28	3.814	673	0.159
2/2/2017 9:00 AM	3,335,620.0	RST	118.20	88,413.60	30	3.940	713	0.166
1/3/2017 4:30 PM	3,323,800.0	RST	52.00	38,896.00	13	4.000	318	0.164
12/21/2016 10:00 AM	3,318,600.0	WB	82.50	61,710.00	20	4.125	476	0.173
12/1/2016 2:59 PM	3,310,350.0	RST	30.50	22,814.00	8	3.813	196	0.156
11/23/2016 10:00 AM	3,307,300.0	WB	74.40	55,651.20	22	3.382	528	0.141
11/1/2016 10:31 AM	3,299,860.0	RST	37.60	28,124.80	12	3.133	288	0.131
10/20/2016 10:00 AM	3,296,100.0	WB	53.80	40,242.40	17	3.165	403	0.133
10/3/2016 3:35 PM	3,290,720.0	RST	36.20	27,077.60	11	3.291	269	0.135
9/22/2016 10:00 AM	3,287,100.0	WB	71.50	53,482.00	21	3.405	501	0.143
9/1/2016 1:36 PM	3,279,950.0	RST	33.50	25,058.00	9	3.722	219	0.153
8/23/2016 10:00 AM	3,276,600.0	WB	84.00	62,832.00	22	3.818	529	0.159
8/1/2016 9:49 AM	3,268,200.0	RST	42.00	31,416.00	11	3.818	263	0.160
7/21/2016 10:00 AM	3,264,000.0	WB	75.60	56,548.80	20	3.780	477	0.158
7/1/2016 1:05 PM	3,256,440.0	RST	58.40	43,683.20	15	3.893	363	0.161
6/16/2016 10:00 AM	3,250,600.0	WB	53.00	39,644.00	15	3.533	361	0.147
6/1/2016 9:26 AM	3,245,300.0	RST	56.00	41,888.00	16	3.500	383	0.146
5/16/2016 10:00 AM	3,239,700.0	WB	45.50	34,034.00	13	3.500	309	0.147
5/3/2016 1:10 PM	3,235,150.0	RST	49.50	37,026.00	13	3.808	315	0.157
4/20/2016 10:00 AM	3,230,200.0	WB	74.90	56,025.20	19	3.942	455	0.165
4/1/2016 11:06 AM	3,222,710.0	RST	68.10	50,938.80	16	4.256	385	0.177
3/16/2016 10:00 AM	3,215,900.0	WB	81.40	60,887.20	16	5.088	383	0.213
2/29/2016 11:00 AM	3,207,760.0	RST	61.60	46,076.80	13	4.738	313	0.197
2/16/2016 10:00 AM	3,201,600.0	WB	65.40	48,919.20	15	4.360	361	0.181
2/1/2016 9:57 AM	3,195,060.0	RST	55.60	41,588.80	13	4.277	311	0.179
1/19/2016 10:00 AM	3,189,500.0	WB	66.20	49,517.60	15	4.413	357	0.185
1/4/2016 1:05 PM	3,182,880.0	RST	54.80	40,990.40	12	4.567	291	0.188

This report was prepared by Advanced Environmental Landscape Design & Consulting, LLC. If you have any questions regarding this report please contact us

Water Meter Inspection and Evaluation

Report prepared by Advanced Environmental Landscape Design & Consulting, LLC

METER ID# 2

12/23/2015	10:00 AM	3,177,400.0	WB	159.00	118,932.00	34	4.676	816	0.195
11/19/2015	10:00 AM	3,161,500.0	WB	10.00	7,480.00	2	5.000	45	0.222
11/17/2015	1:30 PM	3,160,500.0	WMT	120.00	89,760.00	27	4.444	651	0.184
10/21/2015	10:00 AM	3,148,500.0	WB	145.00	108,460.00	34	4.265	816	0.178
9/17/2015	10:00 AM	3,134,000.0	WB	151.00	112,948.00	29	5.207	696	0.217
8/19/2015	10:00 AM	3,118,900.0	WB	5.29	3,956.92	1	5.290	20	0.265
8/18/2015	2:25 PM	3,118,370.7	WMT	33.50	25,058.00	6	5.583	147	0.228
8/12/2015	11:40 AM	3,115,020.4	WMT	4.70	3,515.60	1	4.700	20	0.235
8/11/2015	3:15 PM	3,114,550.6	WMT	112.51	84,157.48	20	5.626	485	0.232
7/22/2015	10:00 AM	3,103,300.0	WB	192.00	143,616.00	35	5.486	840	0.229
6/17/2015	10:00 AM	3,084,100.0	WB	144.00	107,712.00	28	5.143	672	0.214
5/20/2015	10:00 AM	3,069,700.0	WB	147.00	109,956.00	29	5.069	696	0.211
4/21/2015	10:00 AM	3,055,000.0	WB	180.00	134,640.00	35	5.143	840	0.214
3/17/2015	10:00 AM	3,037,000.0	WB	0.00	0.00	N/A	N/A	N/A	N/A

METER C:

Date & Time	Meter Reading	Reading Source	Usage (hcf)	Usage (gallons)	Days in Cycle	Daily Average (hcf)	Hours in Cycle	Hourly Average (hcf)	
11/1/2017	3:24 PM	2,949,610.0	RST	86.10	64,402.80	30	2.870	722	0.119
10/2/2017	1:51 PM	2,941,000.0	RST	91.30	68,292.40	31	2.945	746	0.122
9/1/2017	11:11 AM	2,931,870.0	RST	34.70	25,955.60	10	3.470	241	0.144
8/22/2017	10:00 AM	2,928,400.0	WB	150.10	112,274.80	50	3.002	1199	0.125
7/3/2017	11:47 AM	2,913,390.0	RST	129.90	97,165.20	46	2.824	1105	0.118
5/18/2017	10:00 AM	2,900,400.0	WB	66.00	49,368.00	29	2.276	696	0.095
4/19/2017	10:00 AM	2,893,800.0	WB	95.40	71,359.20	14	6.814	338	0.282
4/5/2017	8:00 AM	2,884,260.0	RST	8.60	6,432.80	2	4.300	45	0.191
4/3/2017	11:05 AM	2,883,400.0	RST	144.00	107,712.00	32	4.500	769	0.187
3/2/2017	10:54 AM	2,869,000.0	RST	58.60	43,832.80	28	2.093	673	0.087
2/2/2017	9:00 AM	2,863,140.0	RST	9.40	7,031.20	30	0.313	713	0.013
1/3/2017	4:30 PM	2,862,200.0	RST	48.00	35,904.00	13	3.692	318	0.151
12/21/2016	10:00 AM	2,857,400.0	WB	71.40	53,407.20	20	3.570	476	0.150
12/1/2016	2:59 PM	2,850,260.0	RST	27.60	20,644.80	8	3.450	196	0.141
11/23/2016	10:00 AM	2,847,500.0	WB	75.10	56,174.80	22	3.414	528	0.142
11/1/2016	10:31 AM	2,839,990.0	RST	42.90	32,089.20	12	3.575	288	0.149
10/20/2016	10:00 AM	2,835,700.0	WB	59.40	44,431.20	17	3.494	403	0.147
10/3/2016	3:35 PM	2,829,760.0	RST	39.60	29,620.80	11	3.600	269	0.147
9/22/2016	10:00 AM	2,825,800.0	WB	73.50	54,978.00	21	3.500	501	0.147
9/1/2016	1:35 PM	2,818,450.0	RST	32.50	24,310.00	9	3.611	219	0.148
8/23/2016	10:00 AM	2,815,200.0	WB	77.40	57,895.20	22	3.518	529	0.146
8/1/2016	9:48 AM	2,807,460.0	RST	38.60	28,872.80	11	3.509	263	0.147
7/21/2016	10:00 AM	2,803,600.0	WB	67.00	50,116.00	20	3.350	477	0.140
7/1/2016	1:04 PM	2,796,900.0	RST	53.00	39,644.00	15	3.533	363	0.146
6/16/2016	10:00 AM	2,791,600.0	WB	49.30	36,876.40	15	3.287	361	0.137
6/1/2016	9:25 AM	2,786,670.0	RST	49.70	37,175.60	16	3.106	383	0.130

This report was prepared by Advanced Environmental Landscape Design & Consulting, LLC. If you have any questions regarding this report please contact us

Water Meter Inspection and Evaluation

Report prepared by Advanced Environmental Landscape Design & Consulting, LLC

METER ID# 2

5/16/2016	10:00 AM	2,781,700.0	RST	40.60	30,368.80	13	3.123	309	0.131
5/3/2016	1:09 PM	2,777,640.0	RST	44.40	33,211.20	13	3.415	315	0.141
4/20/2016	10:00 AM	2,773,200.0	WB	66.00	49,368.00	19	3.474	455	0.145
4/1/2016	11:05 AM	2,766,600.0	RST	57.00	42,636.00	16	3.563	385	0.148
3/16/2016	10:00 AM	2,760,900.0	WB	69.50	51,986.00	15	4.633	359	0.194
3/1/2016	11:00 AM	2,753,950.0	RST	48.50	36,278.00	14	3.464	337	0.144
2/16/2016	10:00 AM	2,749,100.0	WB	54.70	40,915.60	15	3.647	361	0.152
2/1/2016	9:56 AM	2,743,630.0	RST	45.30	33,884.40	13	3.485	311	0.146
1/19/2016	10:00 AM	2,739,100.0	WB	54.30	40,616.40	15	3.620	357	0.152
1/4/2016	1:05 PM	2,733,670.0	RST	40.70	30,443.60	12	3.392	291	0.140
12/23/2015	10:00 AM	2,729,600.0	WB	118.00	88,264.00	34	3.471	816	0.145
11/19/2015	10:00 AM	2,717,800.0	WB	7.00	5,236.00	2	3.500	45	0.156
11/17/2015	1:30 PM	2,717,100.0	WMT	100.00	74,800.00	27	3.704	651	0.154
10/21/2015	10:00 AM	2,707,100.0	WB	115.00	86,020.00	34	3.382	816	0.141
9/17/2015	10:00 AM	2,695,600.0	WB	122.00	91,256.00	29	4.207	696	0.175
8/19/2015	10:00 AM	2,683,400.0	WB	3.99	2,984.52	1	3.990	20	0.200
8/18/2015	2:20 PM	2,683,000.6	WMT	27.21	20,353.08	6	4.535	147	0.185
8/12/2015	11:35 AM	2,680,280.1	WMT	3.90	2,917.20	1	3.900	20	0.195
8/11/2015	3:10 PM	2,679,890.6	WMT	90.91	68,000.68	20	4.546	485	0.187
7/22/2015	10:00 AM	2,670,800.0	WB	154.00	115,192.00	35	4.400	840	0.183
6/17/2015	10:00 AM	2,655,400.0	WB	110.00	82,280.00	28	3.929	672	0.164
5/20/2015	10:00 AM	2,644,400.0	WB	108.00	80,784.00	29	3.724	696	0.155
4/21/2015	10:00 AM	2,633,600.0	WB	132.00	98,736.00	35	3.771	840	0.157
3/17/2015	10:00 AM	2,620,400.0	WB	0.00	0.00	N/A	N/A	N/A	N/A

METER EVALUATION NOTES:

See Findings and Recommendations Report for specific meter notes.

This report was prepared by Advanced Environmental Landscape Design & Consulting, LLC. If you have any questions regarding this report please contact us